TM 11-5815-200-35P/3

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

TECHNICAL DATA

See Changes - 1, 2

FIELD AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

TELETYPEWRITER SET AN/FGC-21

TECHNICAL DATA

HEADQUARTERS, DEPARTMENT OF THE ARMY
14 JANUARY 1964

Jan 11-19-65

EMFO LIBRARY
18 NOV 65

nro mt 11/22/65

TM 11–5815–200–35P/3
C 2

CHANGE
No. 2

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., *27 September 1965*

Field and Depot Maintenance Repair Parts and Special Tools List
TELETYPEWRITER SET AN/FGC–21

TM 11–5815–200–35P/3, 14 January 1964, is changed as follows:

Page 3, section I. Make the following changes:

Delete paragraph 3 in its entirety (as deleted by C 1, 7 Aug 64).

Paragraph 7, lines 11, 12, and 13 (as changed by C 1) make the following changes:

Change "Commanding Officer, U. S. Army Electronics Materiel Support Agency, ATTN: SELMS–ML" to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL–MR–(NMP)–MA.

Section II. Make the following changes:

Page 7, Federal stock number column, "5310–558–3153". Description column, after "Sig dwg SM–B–148585", add: (Authorized allowances based on a total of 3).

Page 8, Federal stock number column, "6105–521–0419". Source code column, subcolumn C, change "F" to: H.

Page 9, Federal stock number column. Change "6105–609–4160" to: 6105–606–6456 (as changed by C 1, 7 Aug 64).

Page 14, Federal stock number column, "5815–598–4965". Delete item in its entirety.

Page 17. After Item No. "59475" add the following item in the columns indicated below:

Source Code column, subcolumn E: P1; subcolumn C; F.

Federal Stock Number column: 5340–902–4152.

Description column: SPRING, HELICAL EXTENSION: Kleinschmidt part 68126 (Authorized allowances based on a total of 12).

Qty In Unit column: 6.

3rd-Field column: 3.5.

4th-Field column: 1.5.

5th Depot column: 120.

Item No. column: 68126.

Page 35. After Item No. "50053", add the following items in the columns indicated below:

Source Code				Federal Stock No.	Description	Qty in Unit	3rd Field	4th Field	5th Depot	Item No.
A	B	C	D							
	P1	F		5815–356–3261	CAM SPLINE: Kleinschmidt part 50133	1	0.7	0.4	3.0	50133
	P1	F		5815–356–3268	PLATE STOP: Kleinschmidt part 50134	1	0.7	0.4	3.0	50134

* This change supersedes C 1, 7 August 1964.

EMFO LIBRARY

3/5

Page 37, Federal stock number column, "5815–598–4965". Delete item in its entirety.

Page 38, Federal stock number column, "5815–547–7872". Description column, after "Sig dwg SM–B–148365", add: (Replaced by 67006A).

Page 43. After Item No. "61343A", add the following items in the columns indicated below:

Code Source				Federal Stock No.	Description	Qty in Unit	3rd Field	4th Field	5th Depot	Item No.
A	B	C	D							
	P1	F		5815–033–9457	CAMSHAFT: Kleinschmdit part 67006A	1	0.7	0.4	3.0	67006A
	P1	F		5815–682–2235	CLIP RETAINING: Kleinschmidt part 67007	1	0.7	0.4	3.0	67007
	P1	F		5340–902–4152	SPRING, HELICAL EXTENSION: (For authorized allowances see Group 3)	6				68126

Page 44, Federal stock number column. Change "5305–570–5987" to: 5305–543–5891.

Page 49. Make the following changes (as changed by C 1, 7 Aug 64): Federal stock number column, change "5920–142–4837" to: 5920–229–1312. Description column, change "MIL type F02GR062A" to: MIL type F02GR062B.

By Order of the Secretary of the Army:

EMFO LIBRARY

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
CC–E (7)
Dir of Trans (1)
CofEngrs (1)
TSG (1)
CofSptS(1)
USACDCEA (1)
USACDCCBRA (1)
USACDCCEA (1)
USACDCOA (1)
USACDCQMA (1)
USACDCTA (1)
USACDCADA (1)
USACDCARMA (1)
USACDCAVNA (1)
USACDCARYTA (1)
USACDCSWA (1)
USACDCEA:
  Ft Huachuca (1)
USACDCEC (10)
USAMC (5)
USCONARC (5)
ARADCOM (5)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMD (2)
USAMICOM (4)
USASMC (2)
USASCC (4)
MDW (1)
Armies (2)
Corps (2)
USAC (3)
11th Air Aslt Div (3)
Svc Colleges (2)
Br Svc Sch (2)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC Inf (2)
USASTC (2)
WRAMC (2)
Army Pic Cen (2)
Instl (2) except
  Ft Monmouth (70)
  Ft Gordon (10)
  Ft Huachuca (10)
  Ft Carson (19)
  WSMR (5)
GENDEP (2)
Sig Sec GENDEP (5)
Sig Dep (12)
A Dep (2) except
  SAAD (30)
  TOAD (14)
  FTWOAD (10)
  LEAD (7)
  SHAD (3)
  NAAD (5)
  SVAD (5)
  CHAD (3)
  ATAD (10)
  LBAD (14)
Sig Fld Maint Shops (2)
AMS (1)
USAERDAA (2)
USAERDAW (13)
Units org under fol TOE:
  (2 copies each UNOINDC)
  11–16
  11–57
  11–97
  11–98
  11–117
  11–155
  11–157
  11–337
  11–500 (AA–AE) (4)
  11–587
  11–592
  11–597

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320–50.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1965—204428/891

EMFO LIBRARY

TM 11–5815–200–35P/3
C 2

18 NOV 65

CHANGE
No. 2

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., *27 September 1965*

Field and Depot Maintenance Repair Parts and Special Tools List
TELETYPEWRITER SET AN/FGC–21

TM 11–5815–200–35P/3, 14 January 1964, is changed as follows:

Page 3, section I. Make the following changes:

Delete paragraph 3 in its entirety (as deleted by C 1, 7 Aug 64).

Paragraph 7, lines 11, 12, and 13 (as changed by C 1) make the following changes:

Change "Commanding Officer, U. S. Army Electronics Materiel Support Agency, ATTN: SELMS–ML" to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL–MR–(NMP)–MA.

Section II. Make the following changes:

Page 7, Federal stock number column, "5310–558–3153". Description column, after "Sig dwg SM–B–148585", add: (Authorized allowances based on a total of 3).

Page 8, Federal stock number column, "6105–521–0419". Source code column, subcolumn C, change "F" to: H.

Page 9, Federal stock number column. Change "6105–609–4160" to: 6105–606–6456 (as changed by C 1, 7 Aug 64).

Page 14, Federal stock number column, "5815–598–4965". Delete item in its entirety.

Page 17. After Item No. "59475" add the following item in the columns indicated below:

Source Code column, subcolumn E: P1; subcolumn C; F.

Federal Stock Number column: 5340–902–4152.

Description column: SPRING, HELICAL EXTENSION: Kleinschmidt part 68126 (Authorized allowances based on a total of 12).

Qty In Unit column: 6.

3rd-Field column: 3.5.

4th-Field column: 1.5.

5th Depot column: 120.

Item No. column: 68126.

Page 35. After Item No. "50053", add the following items in the columns indicated below:

Source Code				Federal Stock No.	Description	Qty in Unit	3rd Field	4th Field	5th Depot	Item No.
A	B	C	D							
	P1	F		5815–356–3261	CAM SPLINE: Kleinschmidt part 50133	1	0.7	0.4	3.0	50133
	P1	F		5815–356–3268	PLATE STOP: Kleinschmidt part 50134	1	0.7	0.4	3.0	50134

*** This change supersedes C 1, 7 August 1964.**

Page 37, Federal stock number column, "5815-598-4965". Delete item in its entirety.

Page 38, Federal stock number column, "5815-547-7872". Description column, after "Sig dwg SM-B-148365", add: (Replaced by 67006A).

Page 43. After Item No. "61343A", add the following items in the columns indicated below:

Code Source				Federal Stock No.	Description	Qty in Unit	3rd Field	4th Field	5th Depot	Item No.
A	B	C	D							
	P1	F		5815-033-9457	CAMSHAFT: Kleinschmdit part 67006A	1	0.7	0.4	3.0	67006A
	P1	F		5815-682-2235	CLIP RETAINING: Kleinschmidt part 67007	1	0.7	0.4	3.0	67007
	P1	F		5340-902-4152	SPRING, HELICAL EXTENSION: (For authorized allowances see Group 3)	6				68126

Page 44, Federal stock number column. Change "5305-570-5987" to: 5305-543-5891.

Page 49. Make the following changes (as changed by C 1, 7 Aug 64): Federal stock number column, change "5920-142-4837" to: 5920-229-1312. Description column, change "MIL type F02GR062A" to: MIL type F02GR062B.

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
CC–E (7)
Dir of Trans (1)
CofEngrs (1)
TSG (1)
CofSptS(1)
USACDCEA (1)
USACDCCBRA (1)
USACDCCEA (1)
USACDCOA (1)
USACDCQMA (1)
USACDCTA (1)
USACDCADA (1)
USACDCARMA (1)
USACDCAVNA (1)
USACDCARYTA (1)
USACDCSWA (1)
USACDCEA:
  Ft Huachuca (1)
USACDCEC (10)
USAMC (5)
USCONARC (5)
ARADCOM (5)
ARADCOM Rgn (2)
OS Maj Comd (4)
LOGCOMD (2)
USAMICOM (4)
USASMC (2)
USASCC (4)
MDW (1)
Armies (2)
Corps (2)
USAC (3)
11th Air Aslt Div (3)
Svc Colleges (2)
Br Svc Sch (2)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC Inf (2)
USASTC (2)
WRAMC (2)
Army Pic Cen (2)
Instl (2) except
  Ft Monmouth (70)
  Ft Gordon (10)
  Ft Huachuca (10)
  Ft Carson (19)
  WSMR (5)
GENDEP (2)
Sig Sec GENDEP (5)
Sig Dep (12)
A Dep (2) except
  SAAD (30)
  TOAD (14)
  FTWOAD (10)
  LEAD (7)
  SHAD (3)
  NAAD (5)
  SVAD (5)
  CHAD (3)
  ATAD (10)
  LBAD (14)
Sig Fld Maint Shops (2)
AMS (1)
USAERDAA (2)
USAERDAW (13)
Units org under fol TOE:
  (2 copies each UNOINDC)
  11–16
  11–57
  11–97
  11–98
  11–117
  11–155
  11–157
  11–337
  11–500 (AA–AE) (4)
  11–587
  11–592
  11–597

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320–50.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1965—204428/891

EMFO LIBRARY
- 2 OCT 64

TM 11-5815-200-35P/3
C 1

Field and Depot Maintenance Repair Parts and Special Tool Lists
TELETYPEWRITER SET AN/FGC-21

CHANGE
No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *7 August 1964*

TM 11-5815-200-35P/3, 14 January 1964, is changed as follows:

Page 3. Delete paragraph 3.

Paragraph 7, lines 11, 12, and 13. Change Commanding Officer, U.S. Army Electronics Materiel Support Agency, ATTN: SELMS-ML to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-MR-MP-P.

Page 9. Federal Stock Number column, change 6105-609-4160 to 6105-606-6456.

Page 49. Federal Stock Number column, change 5920-142-4837 to 5920-229-1312. Description column, change MIL type F02GR062A to MIL type F02GR062B.

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
CofEngrs (1)
TSG (1)
CC–E (7)
CofT (1)
CofSptS (1)
USCONARC (5)
USAMC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3)
OS Base Comd (2)
LOGCOMD (2)
USAREUR Spt Comd (5)
USAECOM (7)
USASMCOM (2)
USAMICOM (4)
USAARMCDA (2)
USAARTYCDA (2)
USASCC (4)
MDW (1)
Armies (2)
Corps (2)
USA Corps (3)
USATC AD (2)
USATC Engr (2)
USATC Inf (2)
USATC Armor (2)
USASTC (2)
Instls (2) except
  Fort Monmouth (63)
  Fort Hancock (4)
  Fort Gordon (5)
Svc Colleges (2)
Br Svc Sch (2)
USAAVCOM (1)
GENDEP (OS) (2)
Sig Sec, GENDEP (OS) (5)
Sig Dep (OS) (12)
Army Dep (2) except
  Fort Worth Army Dep (8)
  Sexington Army Dep (12)
  Lacramento Army Dep (28)
  Tobyhanna Army Dep (12)
  Letterkenny Army Dep (5)
  Sharpe Army Dep (3)
  Savanna Army Dep (5)
  Navajo Army Dep (5)
  Charleston Army Dep (3)
USAAVNCDA (2)
USAECDA (2)
USACECDA (2)
USAERDAW (13)
USAERDAA (10)
POE (1)
Trans Tml Comd (1)
Army Tml (1) except
  Oakland Army Tml (5)
AMS (1)
WRAMC (1)
USASA 1st Fld Sta (5)
Army Pictorial Cen (2)
USAEMA (12)
Chicago Proc Dist (1)
USARSOUTHCOM Sig Agcy (1)
Sig Fld Maint Shops (3)
USAERDL (2)
USA Cold Rgn RE Lab (2)
11th Air Assault Div (3)
Yuma PG (2)
Units org under fol TOE's
  (2 copies each UNOINDC):
  1–127
  1–137
  1–207
  5–112
  11–16
  11–57
  11–97
  11–98
  11–117
  11–155
  11–157
  11–500 (AA–AE) (4)
  11–557
  11–587
  11–592
  11–597

NG: None.
USAR: None.
For explanation of abbreviations used, see AR 320–50.

☆ U.S. Government Printing Office: 1964—750574

EMFO LIBRARY

Technical Manual
No. 11-5815-200-35P/3

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D.C., *14 January 1964*

TELETYPEWRITER SET AN/FGC-21

			Paragraph	Page
SECTION I.	INTRODUCTION			
	Scope		1	2
	Parts for maintenance		2	3
	Other service stock numbers		3	3
	Additional repair parts authorization		4	3
	Requisitioning information		5	3
	References		6	3
	Reporting of equipment manual improvements		7	3
II.	FUNCTIONAL PARTS LIST			
	Teletypewriter TT-99/FG			
	Group 1	Cover and copyholder		4
	2	Motor group		8
	2A	Motor, ac, 1/20 hp, Bodine		8
	2B	Motor, ac, 1/20 hp, Howard		9
	3	Keyboard assembly		10
	4	Platen assembly		17
	5	Carraige assembly		20
	6	Main frame assembly		29
	7	Chassis assembly		43
	8	Base assembly		49
	9	Power Supply PP-978/FG		54
	10	Table, Teletypewriter FN-59/FG		55

*This manual together with TM 11-5815-200-35P/1, 30 September 1963; TM 11-5815-200-35P/2, 30 September 1963; TM 11-5815-35P/4, 30 September 1963; and TM 11-5815-35P/5, 30 September 1963 supersedes TM 11-5815-200-35P, 19 February 1960, including C1, 31 May 1961.

EMFO LIBRARY

SECTION I
INTRODUCTION

1. Scope

a. This manual lists the quantities of repair parts for third, fourth, and fifth echelon field maintenance and is a basis for requisitioning authorized parts. It is also a guide for fifth echelon in establishing initial levels of spare parts.

b. Columns are as follows:

(1) *Source, maintenance, and recoverability code.* Source, maintenance, and recoverability codes indicate the technical service responsible for supply, the echelons where an item is stocked, echelons where an item is installed or repaired, and whether an item is repairable or salvageable. The source code column is divided into four parts.

(a) Column A. This column indicates the materiel code and designates the area of responsibility for supply. AR 310-1 defines the basic numbers used to identify the materiel code. If the part is Signal materiel responsibility, the column is left blank.

(b) Column B. This column indicates the point within the maintenance system where the part is available. "P1" indicates that the repair part is a low mortality part; procured by technical services, stocked only in and supplied from technical service *key* depots, and authorized for installation at indicated maintenance echelons.

(c) Column C. This column indicates the lowest maintenance echelon authorized to install the part.

"O" – Organizational maintenance (1st and 2d echelon).
"F" – Field maintenance (3d echelon).
"D" – Depot maintenance (5th echelon).

(d) Column D. Not used.

(2) *Federal stock number.* This column lists the 11-digit Federal stock number.

(3) *Designation by model.* Not used.

(4) *Description.* Nomenclature or the standard item name and brief identifying data for each item are listed in this column. When requisitioning, enter the nomenclature and description.

(5) *Unit of issue.* The unit of issue is each unless otherwise indicated and is the supply term by which the individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

(6) *Expendability.* Nonexpendable items are indicated by NX. Expendable items are not annotated.

(7) *Quantity incorporated in unit.* This column lists the quantity of each part found in a given assembly, component, or equipment.

(8) *Field (third echelon).* This column indicates quantities of repair parts authorized for initial stockage for use in the third echelon maintenance and in supply support to second echelon. The quantities are based on 100 equipments to be maintained for a 15-day period.

(9) *Field (fourth echelon).* The numbers in this column indicate quantities of repair parts authorized for initial stockage for use in fourth echelon maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

(10) *Depot (fifth echelon).* The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower echelons. The entries are based on the quantity

required for rebuild of 100 equipments.

(11) *Illustration.* The "Item No." column lists the reference symbols used for identification of the items in the illustration or text of the manual.

2. Parts for Maintenance

When this equipment is used by signal service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including fourth echelon are authorized for stockage by the organization operating this equipment.

3. Other Service Stock Numbers

Other service items listed herein are authorized in accordance with AR 700-51.

4. Additional Repair Parts Authorization

An asterisk (*) in the column titled "15 Day Maintenance Allowance per 100 Equipments" indicates that an item is not authorized for stockage but if required, may be requisitioned for immediate use only.

5. Requisitioning Information

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal places.

Specific number of equipments supported

$$x \frac{\text{allowance factor}}{100} =$$

Number of parts authorized for initial stockage.

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.

(3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

6. References

A basic issue items list is contained in TM 11-5815-200-10. Additional instructions concerning maintenance of this equipment are contained in:

Organizational Maintenance Repair Parts and Special Tools List and Maintenance Allocation Chart:

TM 11-5815-200-20P, Teletypewriter Sets AN/FGC-20, AN/FGC-20X, AN/FGC-21, and AN/UGC-4 and AN/FGC-66, and Teleprinter TT-259/FG.

Field and Depot Maintenance Repair Parts and Special Tools List:

TM 11-5815-200-35P/1, Teletypewriter Set AN/FGC-20.

TM 11-5815-200-35P/2, Teletypewriter Sets AN/FGC-20X and AN/UGC-4.

TM 11-5815-200-35P/4, Teletypewriter Set AN/FGC-66.

TM 11-5815-200-35P/5, Teleprinter TT-259/FG.

7. Reporting of Equipment Manual Improvements

The direct reporting, by the individual user, of errors, omissions, and recommendations for improving this equipment manual, is authorized and encouraged. DA Form 2028 will be used for reporting these improvements. This form may be completed using pencil, pen or typewriter. DA Form 2028 will be completed in triplicate and forwarded by the individual using the manual. An original and one copy will be forwarded direct to: Commanding Officer, U. S. Army Electronics Materiel Support Agency, ATTN: SELMS-ML, Fort Monmouth, New Jersey, 07703. One information copy will be furnished to the individual's immediate supervisor (officer, noncommissioned officer, supervisor, etc).

SECTION II. FUNCTIONAL PARTS LIST

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
				5815-503-2653		TELETYPEWRITER SET AN/FGC-21: fixed station;Weather communication keyboard; English characters; 76 characters per line;friction feed or sprocket feed; synchronous motor,AC 115v,60 cycles; 368 & 600 opm; 7.42 unit code		NX						
						TELETYPEWRITER TT-99/FG								
						GROUP I COVER AND COPYHOLDER								
5	P	1	D	6240-892-6102		LAMP,INCANDESCENT: GE part 10C7/5DC			2	3.1	2.0	150.0		I1,I2
	P	1	F	5815-322-5591		CONTACT,ELECTRICAL: Sig dwg SC-B-70198			2	2.0	1.2	20.0		P6
5	P	1	F	6250-228-0418		LAMPHOLDER: Dialco type 12-06			2	0.8	0.4	20.0		XD1,XD2
	P	1	F	5305-521-8637		SCREW,CAP,SOCKET HEAD: MIL type MS-35460-1 (Authorized allowances based on a total of 22)			7	7.1	3.0	220.0		10001
	P	1	F	5305-531-9034		SCREW,CAP,SOCKET HEAD: Kleinschmidt p/n 10003 (Authorized allowances based on a total of 33)			2	10.0	4.2	330.0		10003
	P	1	F	5305-274-0401		SCREW,CAP,SOCKETHEAD: MIL type MS-35461-1 (Authorized allowances based on a total of 57)			4	14.5	6.8	570.0		10008-01
	P	1	F	5305-545-8344		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10017-01 (Authorized allowances based on a total of 12)			4	4.8	3.0	120.0		10017-01
	P	1	F	5305-637-7903		SCREW,MACHINE: Kleinschmidt p/n 10106			4	2.0	1.2	40.0		10106
	P	1	F	5305-537-8241		SCREW,MACHINE: Kleinschmidt p/n 10111			2	1.5	0.8	20.0		10111
9	P	1	F	5305-637-5916		SCREW,MACHINE: Kleinschmidt p/n 10176			4	2.0	1.2	40.0		10176
	P	1	F	5305-298-7831		SCREW,MACHINE: Fleinschmidt p/n 10301 (Authorized allowances based on a total of 8)			4	3.6	2.3	80.0		10301

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5305-208-7907		SCREW,MACHINE: Kleinschmidt part 10308 (Authorized allowances based on a total of 9)			1	3.6	2.3	90.0		10308
P1F	5305-207-7484		SCREW,MACHINE: Kleinschmidt p/n 10357 (Authorized allowances based on a total of 4)			2	2.0	1.2	40.0		10357
P1F	5305-298-8535		SCREW MACHINE: WECO dwg ES-A-680572			2	1.5	0.8	20.0		10374
P1F	5305-297-7798		SCREW,MACHINE: Kleinschmidt p/n 10375 (Authorized allowances based on a total of 6)			4	2.6	1.6	60.0		10375
9 P1F	5305-281-1060		SCREW,MACHINE: Kleinschmidt p/n 10376			4	2.0	1.2	40.0		10376
P1F	5305-579-5443		SCREW,MACHINE: Kleinschmidt p/n 10378			2	1.5	0.8	20.0		10378
P1F	5310-543-2739		WASHER,LOCK: MIL type MS-35333-72 (Authorized allowances based on a total of 46)			12	12.5	5.7	460.0		10404
P1F	5310-282-9584		WASHER,LOCK: MIL type MS-35333-73 (Authorized allowances based on a total of 29)			4	8.7	3.7	290.0		10405
P1F	5310-209-3868		WASHER,LOCK: Shakerproof p/n 1706-01			8	3.6	2.3	80.0		10412
P1F	5310-013-1196		WASHER,LOCK: MIL type MS-35337-60 (Authorized allowances based on a total of 98)			11	22.8	11.1	980.0		10429
P1F	5310-209-3871		WASHER,LOCK: MIL type MS-35339-61 (Authorized allowances based on a total of 101)			4	22.8	11.1	1010.0		10430
P1F	5310-013-1116		WASHER,LOCK: MIL type MS-35339-59 (Authorized allowances based on a total of 8)			6	3.6	2.3	80.0		10432
P1F	5310-209-3860		WASHER,LOCK: Kleinschmidt p/n 10434 (AUthorized allowances based on a total of 6)			4	3.1	2.0	60.0		10434

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-186-7410		WASHER,FLAT: MIL type MS15795-206 (Authorized allowances based on a total of 19)			3	3.1	2.0	190.0		10450
P1F	5310-429-2274		WASHER,FLAT: Murphy Diesel p/n MD-1974 (Authorized allowances based on a total of 14)			6	2.6	1.6	140.0		10463
P1F	5310-551-7541		NUT,SELF-LOCKING,HEXAGONAL: ESNA part F22-NTM-60 (Authorized allowances based on a total of 24)			5	11.0	4.9	240.0		10500
P1F	5310-523-2035		NUT,SELF-LOCKING HEXAGONAL: ESNA Cat No. F22NTM-82 (Authorized allowances based on a total of 22)			2	10.5	4.6	220.0		10501
P1F	5310-550-1154		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10504 (Authorized allowances based on a total of 6)			4	3.1	2.0	60.0		10504
P1F	5310-596-8272		NUT,PLAIN,HEXAGONAL: GE part N-207			1	1.0	0.5	10.0		10511
P1F	5310-514-8471		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10515 (Authorized allowances based on a total of 11)			4	4.2	2.7	110.0		10515
P1F	5310-221-4916		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10517			6	2.6	1.6	60.0		10517
P1F	5310-521-8558		NUT,PLAIN,HEXAGONAL: WECO p/n ESA-693269 (Authorized allowances based on a total of 10)			4	4.2	2.7	100.0		10520
P1F	5310-584-7961		NUT,SELF-LOCKING,HEXAGONAL: ESNA Cat No. F22NM-50			2	2.0	1.2	20.0		10523
P1F	5310-141-1846		NUT,SHEET SPRING: Tinnerman Prod No. C-6067-632-1			2	1.5	0.8	20.0		10538
10P1F	5340-282-0813		RING,RETAINING: Waldes part 5133-18-PP-RP (Authorized allowances based on a total of 35)			3	14.5	6.8	350.0		10949
P1F	5340-256-2867		RING,RETAINING: Waldes part 5133-15-PP-RP (Authorized allowances based ona total of 17)			2	8.7	3.7	170.0		10960

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION		INITIAL ISSUE 100 EQPS BASE DEPOT
A B C D										FIGURE NO.	ITEM NO.	
			AN/FGC-21 (continued)									
P1F	5340-282-0780		RING RETAINING: Waldes part 5133-12-PP-RP (Authorized allowances based on a total of 6)			2	4.2	2.7	60.0		10969	44.2 41.5
P1F	5340-616-4545		STUD,FRICTION CATCH: Tinner Prod part P101-447-495			2	1.5	0.8	10.0		10984	11.2
P1F	5815-547-7871		CATCH,FASTENER: Tinnerman Prod part C-4883-012-1			2	0.8	0.4	6.0		10985	4.4
P1F	5305-550-4102		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 11069			2	1.5	0.8	20.0		11069	11.2 R
P1F	5940-643-5260		TERMINAL LUG: Aircraft Marine Prod p/n 31890			4	1.7	1.0	40.0		21707	14.9 13.9
P1F	5940-231-4428		TERMINAL,LUG: Thomas & Betts part C-33 (Authorized allowances based on a total of 2)			1	1.1	0.6	20.0		20708	8.2
P1F	5970-617-5316		INSULATOR,BUSHING: Sig dwg SC-B-70200			2	0.8	0.4	10.0		51106	4.4
P1F	5330-049-7872		WASHER,NON-METALLIC: Sig dwg SC-B-70488 (Authorized allowances based on a total of 4)			2	3.1	2.0	40.0		51481	31.4 29.4
P1F	5815-392-7792		SPRING,HELICAL,TORSION: Sig dwg SM-B148450			1	1.0	0.5	2.0		52551	6.6
P1F	5815-264-5429		WINDOW,OBSERVATION: Sig dwg SM-B-148515			1	0.5	0.3	45.0		52896	3.1
P1F	5305-567-2033		SCREW,SHOULDER: Sig dwg SM-B-148584			2	1.5	0.8	20.0		52987	11.2
P1F	5310-558-3153		WASHER,FLAT: Sig dwg SM-B-148585			2	1.0	0.5	30.0		52988	6.6
P1F	5815-855-9307		PIN,STRAIGHT HEADED: Sig dwg SM-B-148705			2	0.5	0.3	6.0		53426	3.1
P1F	5815-663-3322		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148310-6			2	1.5	0.8	10.0		53558	11.2
P1F	5815-521-7181		PLATE,ADJUSTING: Sig dwg SM-B-157340			2	0.8	0.4	4.0		54884	4.4
P1F	5815-664-2151		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-186994			1	1.0	.5	10.0		54948	6.6

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-560-5753		SPRING,HELICAL,TORSION: Sig dwg SM-B-187017			2	1.5	0.8	20.0		54996
P1F	5815-547-7905		PLATE,LOCK:Sig dwg SM-B-171359			2	0.8	0.4	4.0		56715A
P1F	5815-346-2889		SPRING,FLAT: Sig dwg SM-B-171363			2	1.5	0.8	6.0		56717
P1F	5815-346-2911		SPRING,FLAT: Kleinschmidt part 56718			2	1.5	0.8	4.0		56718
			GROUP 2 MOTOR GROUP								
			GROUP 2A MOTOR,AC,1/20 HP, BODINE								
P1F	6105-606-6456		MOTOR,ALTERNATING CURRENT: synchronous type, 1/20 hp. Kleinschmidt part 56871A			1	1.0	0.5	2.0		56871A
P1F	5935-280-2829		CONNECTOR,PLUG,ELECTRICAL: MIL type AN3106A-14S-2P			1	1.0	0.5	10.0		P3
P1F	5305-297-7905		SETSCREW: MIL type MS51020-49			1	1.0	0.5	10.0		10210
P1F	5975-301-5916		NUT (COUPLING): MIL type AN-3054-6			1	1.0	0.5	10.0		10533
P1H	3110-542-0120		BEARING,BALL,ANNULAR: Fafnir part 38KVTD			2		0.8	10.0		10760
P1F	4450-694-1270		IMPELLER,FAN,CENTRIFUGAL: Kleinschmidt part 20839			1	0.8	0.4	5.0		20839
P1F	5315-547-9203		PIN,STRAIGHT,HEADLESS: Sig dwg SC-B-69682			1	0.5	0.3	2.0		50359
P1F	6125-521-0612		FELT,MECHANICAL,PREFORMED: Sig dwg SC-B-69683			2	3.1	2.0	20.0		50949
P1F	5815-527-0231		SHIM: (motor mounting) Kleinschmidt part 51509			2	0.8	0.4	20.0		51509
P1F	5815-527-0230		SHIM: (motor mounting) Kleinschmidt part 51510			2	0.8	0.4	20.0		51510
P1F	6105-521-0419		ROTOR,MOTOR: Bodine part K-567			1		0.2	5.0		53361A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1H	6105-521-0428		STATOR,MOTOR: Kleinschmidt part 53362A			1		0.5	5.0		53362A
P1H	5330-542-1077		FELT,MECHANICAL,PREFORMED: Bodine part C-501			2		1.2	20.0		60530
P1H	5310-619-2479		WASHER,SPRING,TENSION: Bodine part 3098-5-020			2		0.2	20.0		60531
P1H	5305-619-4695		SCREW,MACHINE: Bodine part K-569			4		0.7	40.0		60533
P1H	5310-619-2480		NUT,PLAIN,HEXAGONAL: Bodine part K-509			4		0.7	40.0		60534
P1H	5310-619-2135		WASHER,LOCK: Bodine part K-1018			4		0.7	40.0		60535
P1H	5310-264-0072		SHIM: Bodine part N-162			2		0.2	20.0		60532
			GROUP 2B MOTOR,AC,1/20 HP,HOWARD								
P1F	6105-609-4160		MOTOR,ALTERNATING CURRENT: Howard No. SBCE-2922-9N			1	1.0	0.5	2.0		56854A
P1F	5935-280-2829		CONNECTOR,PLUG: MIL type AN-3106A-14S-2P			1	1.0	0.5	10.0		P3
P1F	5305-333-4254		SETSCREW: Kleinschmidt part 10211			1	1.0	0.5	10.0		10211
P1H	5305-579-5448		SCREW,MACHINE: Kleinschmidt part 10333			8		1.4	80.0		10333
P1H	5305-208-6168		SCREW,MACHINE: Kleinschmidt part 10367			8		1.4	80.0		10367
P1H	5310-579-1252		WASHER,LOCK: Kleinschmidt part 10442			8		1.4	80.0		10442
P1H	5310-596-7175		WASHER,FINISHING: Shakeproof No. 1724-02			1		0.2	10.0		10478
P1H	3110-542-0120		BEARING,BALL,ANNULAR: Fafnir 38KVTD			2		0.5	10.0		10760

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5315-547-9203		PIN,STRAIGHT,HEADLESS: Sig dwg SC-B-69682			1	0.5	0.3	2.0		50359
P1F	5355-579-7023		KNOB: Kleinschmidt part 54217			1	1.0	0.5	5.0		54217
P1H	6105-542-6563		ROTOR,MOTOR: Howard p/n 78-866			1		0.2	2.0		56853
P1H	6105-631-8033		STATOR,MOTOR: Howard p/n 62-438			1		0.2	2.0		56882
P1H	5815-609-4169		RETAINER,BEARING: Howard p/n EPL-4-1			2		0.5	1.0		56886
P1H	5310-579-3492		WASHER,SPRING,TENSION: Howard p/n SPR-31			2		0.2	20.0		56887
P1H	5310-285-4451		SHIM: (Bearing) Howard p/n WAS-57-3			2		0.2	20.0		56888
P1H	5975-543-1194		CONDUIT ASSEMBLY: Sig dwg SM-B-185276			1		0.2	1.0		57646A
			GROUP 3 KEYBOARD ASSEMBLY								
P1F	5815-356-3515		CONTACT ASSEMBLY,ELECTRICAL: Sig dwg SC-B-70067			1	1.0	0.5	3.0		E4
P1F	5935-296-8675		CONNECTOR,PLUG,ELECTRICAL: Amphenol p/n 26-195			1	1.0	0.5	10.0		P5
P1F	5815-586-7763		FILTER,RADIO INTERFERENCE: Sig dwg SM-C-314880			1	1.0	0.5	5.0		Z2
P1F	5305-521-8637		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			4					10001
P1F	5305-521-8636		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10002 (Authorized allowances based on a total of 4)			2	2.0	1.2	40.0		10002
P1F	5305-531-9034		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			5					10003
P1F	5305-274-0401		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			2					10008-01

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5305-297-7966		SCREW,CAP,SOCKETHEAD: MIL type MS-35459-15 (Authorized allowances based on a total of 4)			2	2.0	1.2	40.0		10009
P1F	5305-533-5362		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-10 (Authorized allowances based on a total of 6)			4	2.6	1.6	60.0		10015
P1F	5305-573-3925		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10017 (Authorized allowances based on a total of 3)			2	1.9	1.1	30.0		10017
P1F	5305-269-6417		SCREW,CAP,SOCKETHEAD: MIL type MS35460-24			2	1.5	0.8	20.0		10027
P1F	5305-208-3610		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-14			1	1.0	0.5	10.0		10035
P1F	5305-206-2471		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10041			1	1.0	0.5	10.0		10041
P1F	5305-207-8967		SETSCREW: MIL type MS-51020-48 (Authorized allowances based on a total of 20)			4	6.7	2.8	200.0		10209
P1F	5305-298-7831		SCREW,MACHINE: (For authorized allowances see GROUP 1)			4					10301
P1F	5305-521-8638		SCREW,MACHINE: Kleinschmidt p/n 10304 (Authorized allowances based on a total of 5)			3	2.6	1.6	50.0		10304
P1F	5305-206-3537		SCREW,CAP,HEXAGON HEAD: Kleinschmidt part 10397			2	1.5	0.8	20.0		10397
9 P1F	5310-282-9068		WASHER,LOCK: MIL type MS-35333-74 (Authorized allowances based on a total of 4)			2	2.0	1.2	40.0		10400
P1F	5310-209-3990		WASHER,LOCK: MIL type MS-35333-71 (Authorized allowances based on a total of 23)			10	7.5	3.1	230.0		10403
P1F	5310-282-9584		WASHER,LOCK: (For authorized allowances see GROUP 1)			6					10405
P1F	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			10					10429

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP1)			4					10430
P1F	5310-198-3711		WASHER,LOCK: MIL type MS-35339-62 (Authorized allowances based on a total of 17)			3	6.0	2.4	170.0		10431
P1F	5310-186-7410		WASHER,FLAT: (For authorized allowances see GROUP 1)			2					10450
P1F	5310-551-7541		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			1					10500
P1F	5310-523-2035		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			3					10501
P1F	5310-546-6858		NUT,LOCK: Kleinschmidt part/dwg 10507 (Authorized allowances based on a total of 15)			4	5.5	2.2	150.0		10507
P1F	5310-297-8940		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10512			1	1.0	0.5	10.0		10512
P1F	5310-638-4182		NUT,PLAIN,ROUND: Allen p/n 8			1	1.0	0.5	10.0		10547
9 P1F	3110-155-9628		BEARING,BALL,ANNULAR: Fafnir p/n S1KDD7-FS160 (Authorized allowances based on a total of 3)			2	1.9	1.1	15.0		10753
10P1F	5340-282-0813		RING,RETAINING: (For authorized allowances see GROUP 1)			3					10949
P1F	5940-642-4428		TERMINAL,LUG: Thomas & Betts Cat No. STA-KON-V-33 (Authorized allowances based on a total of 2)			1	1.1	0.6	20.0		20379
P1F	5940-204-7911		TERMINAL,LUG: Patton-McGuyer Cat No. 3027			1	0.8	0.4	10.0		20840
P1F	5815-330-9941		BEARING SET: SigC. dwg SC-B-69494 (Authorized allowances based on a total of 2)			1	1.5	0.8	10.0		50019A
P1F	5310-521-8475		WASHER,FLAT: Sig dwg SC-B-69389-4 (Authorized allowances based on a total of 16)			12	2.6	1.6	160.0		50147

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-523-2143		WASHER,FLAT: Sig dwg SC-B-69389-2 (Authorized allowances based on a total of 6)			1	1.5	0.8	60.0		50414
P1F	5815-356-3334		FORK,CLUTCH: Sig dwg SM-B-148343 (Authorized allowances based on a total of 2)			1	1.5	0.8	6.0		50484A
P1F	5815-356-3386		SCREW,ADJUSTING: Sig dwg SC-C-69895			1	1.0	0.5	10.0		50658
P1F	5815-356-3407		KEYTOP,TELETYPEWRITER: (Q-1) Sig dwg SC-B-69965-1			1	0.8	0.4	5.0		50777
P1F	5815-356-3408		KEYTOP,TELETYPEWRITER: (W-2) Sig dwg SC-B-171558			1	0.8	0.4	5.0		50778
P1F	5815-356-3409		KEYTOP,TELETYPEWRITER: (E-3) Sig dwg SC-B-171559			1	0.8	0.4	5.0		50779
P1F	5815-356-3410		KEYTOP,TELETYPEWRITER: (R-4) Sig dwg SC-B-171560			1	0.8	0.4	5.0		50780
P1F	5815-356-3411		KEYTOP,TELETYPEWRITER: (T-5) Sig dwg SC-B-171561			1	0.8	0.4	5.0		50781
P1F	5815-356-3412		KEYTOP,TELETYPEWRITER: (Y-6) Sig dwg SC-B-171562			1	0.8	0.4	5.0		50782
P1F	5815-356-3413		KEYTOP,TELETYPEWRITER: (U-7) Sig dwg SC-B-171563			1	0.8	0.4	5.0		50783
P1F	5815-356-3414		KEYTOP,TELETYPEWRITER: (I-8) Sig dwg SC-B-171564			1	0.8	0.4	5.0		50784
P1F	5815-356-3415		KEYTOP,TELETYPEWRITER: (O-9) Sig dwg SC-B-171565			1	0.8	0.4	5.0		50785
P1F	5815-356-3416		KEYTOP,TELETYPEWRITER: (P-Ø) Sig dwg SC-B-171566			1	0.8	0.4	5.0		50786
P1F	5815-537-7646		KEYTOP,TELETYPEWRITER: (S BELL) Sig dwg SC-B-171567			1	0.8	0.4	5.0		50788
P1F	5815-356-3425		KEYTOP,TELETYPEWRITER: (CAR RET) Sig dwg SC-B-171568			1	0.8	0.4	5.0		50796
P1F	5815-356-3426		KEYTOP,TELETYPEWRITER: (FIGS) Sig dwg SC-B-171569			1	0.8	0.4	5.0		50797

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-356-3428		KEYTOP,TELETYPEWRITER: (X /) Sig dwg SC-B-171570			1	0.8	0.4	5.0		50799
P1F	5815-356-3433		KEYTOP,TELETYPEWRITER: (M .) Sig dwg SC-B-171571			1	0.8	0.4	5.0		50805
P1F	5815-356-3443		KEYTOP,TELETYPEWRITER: (LTRS) Sig dwg SC-B-69965-29			1	0.8	0.4	5.0		50805
P1F	5815-356-3435		KEYTOP,TELETYPEWRITER: (LINEFEED) Sig dwg SC-B-171573			1	0.8	0.4	5.0		50806
P1F	5310-523-2005		WASHER,FLAT: Sig dwg SC-B-69907-2 (Authorized allowances based on a total of 2)			1	0.8	0.4	20.0		50839
P1F	5815-598-4965		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-186883 (Authorized allowances based on a total of 12)			6	4.8	3.0	120.0		50902
P1F	5815-598-4945		SPRING,HELICAL,EXTENSION: Sig dwg SC-C-69326-15 (Authorized allowances based on a total of 32)			31	9.5	4.1	320.0		50941
P1F	5815-598-4948		SPRING,HELICAL EXTENSION: Sig dwg SC-B-69337-9			1	1.0	0.5	10.0		50944
P1F	5815-224-6463		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-B-69980			1	0.8	0.4	5.0		51134A
P1F	5815-598-4988		SPRING,HELICAL,EXTENSION: Sig dwg SC-69326-19			1	1.0	0.5	10.0		51136
P1F	5815-356-3492		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-24 (Authorized allowances based on a total of 2)			1	1.5	0.8	20.0		51544
P1F	5815-356-3493		CAMSHAFT: Sig dwg SM-C-14883			1	0.5	0.3	5.0		51545A
P1F	5815-356-3494		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-14			1	1.0	0.5	10.0		51548
P1F	5815-356-3495		LEVER: Sig dwg SC-B-70093			1	0.8	0.4	10.0		51549A
P1F	5310-205-8930		WASHER,FLAT: Sig dwg SC-B-69389-8 (Authorized allowances based on a total of 4)			1	1.1	0.6	40.0		51552

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-356-3497		COLLAR,SPACING: Sig dwg SC-B-69389-9			1	0.5	0.3	2.0		51555
P1F	5815-356-3499		BEARING,ECCENTRIC: Sig dwg SC-B-69877			1	0.5	0.3	5.0		51557
P1F	5815-356-3500		GUIDE,LEVER: Sig dwg SC-B-70650			1	0.8	0.4	5.0		51558
P1F	5815-356-3503		STUD,THREADED: Sig dwg SC-B-69988			1	1.0	0.5	2.0		51561
P1F	5815-356-3504		STUD: Sig dwg SC-B-69879			1	0.5	0.3	2.0		51562
P1F	5815-356-3505		STUD,THREADED: Sig dwg SC-B-69883			1	1.0	0.5	2.0		51563
P1F	5815-356-3506		PIN,STRAIGHT HEADLESS: Sig dwg SC-B-70447			1	0.5	0.3	2.0		51564
P1F	5305-399-7868		SCREW,MACHINE: Sig dwg SC-B-69880 (Authorized allowances based on a total of 2)			1	1.5	0.8	20.0		51568
P1F	5815-356-3507		LEVER: Sig dwg SC-B-69987			1	0.8	0.4	10.0		51567
P1F	5815-356-3508		LATCH,LEVER: Sig dwg SC-B-69984			1	0.5	0.3	10.0		51569
P1F	5815-356-3510		LEVER SET: Sig dwg SC-B-69656			1	0.8	0.4	10.0		51573A
P1F	5815-356-3511		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-15			1	1.0	0.5	10.0		51574
P1F	5815-356-3512		SPRING,HELICAL,EXTENSION: Sig dwg SC-C-69326-25			1	1.0	0.5	10.0		51575
P1F	5815-356-3514		PIVOT: Sig dwg SC-B-69985			1	0.5	0.3	1.0		51581
P1F	5815-356-3518		TERMINAL LUG: Sig dwg SC-B-69846			2	0.8	0.4	20.0		51597
P1F	5815-356-3519		LEVER SET: Sig dwg SC-B-70112 (Formally Kleinschmidt part 51068A) (Authorized allowances based on a total of 2)			1	1.1	0.6	20.0		51598A
P1F	5995-622-4046		LEAD,ELECTRICAL: Sig dwg SC-B-70061			2	1.5	0.8	4.0		51610
P1F	5815-608-8706		CONTACT,ELECTRICAL: Sig dwg SC-B-69876 (Formally Kleinschmidt 51588A)			1	1.0	0.5	10.0		51611A
P1F	5815-322-4329		KEYTOP,TELETYPEWRITER: (REPEAT) Sig dwg SM-B-148529			1	0.8	0.4	5.0		52912

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-392-7880		LEVER: Sig dwg SM-B-148531			1	0.8	0.4	10.0		52914
P1F	5815-537-7670		KEYTOP,TELETYPEWRITER: (A↑) Sig dwg SM-B-171557			1	0.8	0.4	5.0		53032
P1F	5815-322-4331		KEYTOP,TELETYPEWRITER: (D↗) Klein-schmidt p/n 53033			1	0.8	0.4	5.0		53033
P1F	5815-322-4332		KEYTOP,TELETYPEWRITER: (F→) Klein-schmidt p/n 53034			1	0.8	0.4	5.0		53034
P1F	5815-322-4333		KEYTOP,TELETYPEWRITER: (G↘) Klein-schmidt p/n 53035			1	0.8	0.4	5.0		53035
P1F	5815-322-4334		KEYTOP,TELETYPEWRITER: (H↓) Klein-schmidt p/n 53036			1	0.8	0.4	5.0		53036
P1F	5815-322-4335		KEYTOP,TELETYPEWRITER: (J↙) Klein-schmidt p/n 53037			1	0.8	0.4	5.0		53037
P1F	5815-322-4336		KEYTOP,TELETYPEWRITER: (K←) Klein-schmidt p/n 53038			1	0.8	0.4	5.0		53038
P1F	5815-322-4337		KEYTOP,TELETYPEWRITER: (L↖) Klein-schmidt p/n 53039			1	0.8	0.4	5.0		53039
P1F	5815-322-4338		KEYTOP,TELETYPEWRITER: (Z .) Klein-schmidt p/n 53040			1	0.8	0.4	5.0		53040
P1F	5815-322-4339		KEYTOP,TELETYPEWRITER: (C 0) Klein-schmidt p/n 53041			1	0.8	0.4	5.0		53041
P1F	5815-322-4340		KEYTOP,TELETYPEWRITER: (V 0) Klein-schmidt p/n 53042			1	0.8	0.4	5.0		53042
P1F	5815-322-4341		KEYTOP,TELETYPEWRITER: (B ⊕) Klein-schmidt p/n 53043			1	0.8	0.4	5.0		53043
P1F	5815-322-4342		KEYTOP,TELETYPEWRITER: (N◁▷) Klein-schmidt p/n 53044			1	0.8	0.4	5.0		53044
P1F	5815-322-4343		KEYTOP,TELETYPEWRITER: (-) Klein-schmidt p/n 53045			1	0.8	0.4	5.0		53045
P1F	5815-340-3702		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-C-69896			1	0.8	0.4	5.0		53295
P1F	5815-537-7673		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-C-69897			1	0.8	0.4	5.0		53296A

Army-Ft Monmouth,NJ-MOt

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-340-3703		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-C-69898			1	0.8	0.4	5.0		53297A
P1F	5815-537-7674		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-C-69894			1	0.8	0.4	5.0		53298A
P1F	5815-537-7675		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-C-69900			1	0.8	0.4	5.0		53299A
P1F	5310-595-6450		WASHER,FLAT: Sig dwg SM-B-186877			2	0.8	0.4	20.0		53526
P1F	5815-322-5576		LEVER: (long keylever) Sig dwg SM-C-187605			11	3.1	2.0	110.0		53969
P1F	5815-524-0139		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-171538			2	1.5	0.8	20.0		53974
P1F	5815-591-0871		SPACE,GUIDE: Sig dwg SM-B-187216			2	0.8	0.4	4.0		55866
P1F	5815-322-5609		LATCH,STOP: Sig dwg SC-B-69878			1	0.8	0.4	3.0		55870
P1F	5815-322-5617		LEVER: Sig dwg SM-C-187645			1	0.8	0.4	10.0		55915
P1F	5815-322-5618		LEVER: Sig dwg SM-B-171360			1	0.8	0.4	10.0		55916
P1F	5815-322-5619		LEVER: (short keylever) Sig dwg SM-B-187253-1			1	0.8	0.4	10.0		55917
P1F	5815-322-5620		LEVER: (medium keylever) Sig dwg 187253-2			10	3.1	2.0	100.0		55918
P1F	5815-663-3350		SPRING,HELICAL,TORSION: Kleinschmidt part 56688			1	0.5	0.3	1.0		56688
P1F	5815-594-4143		LATCH,LEVER: Sig dwg SC-B-171484			1	0.8	0.4	3.0		59475
			GROUP 4 PLATEN ASSEMBLY								
P1F	5305-521-8636		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			2					10002
P1F	5305-274-0401		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			3					10008-01
P1F	5305-533-5362		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			2					10015
P1F	5305-333-4261		SETSCREW: MIL type MS-51019-33 (Authorized allowances based on a total of 22)			4	7.1	3.0	220.0		10201

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5305-207-8967		SETSCREW: (For authorized allowances see GROUP 3)			6					10209
P1F	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			3					10429
P1F	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 1)			2					10430
P1F	5310-198-3711		WASHER,LOCK: (For authorized allowances see GROUP 3)			2					10431
P1F	5310-639-8165		WASHER,FLAT: MIL type MS-15795-205 (Authorized allowances based on a total of 9)			2	1.9	1.1	90.0		10458
P1F	5310-595-5385		WASHER,FLAT: Kleinschmidt p/n 10467 (Authorized allowances based ona total of 13)			1	2.0	1.2	130.0		10467
P1F	5310-523-2035		NUT,SELF-LOCKING HEXAGONAL: (For authorized allowances see GROUP 1)			1					10501
P1F	5310-521-8574		NUT,PLAIN,KNURLED: Kleinschmidt p/n 10537			1	1.0	0.5	10.0		10537
9 P1F	3120-528-5901		BEARING,SLEEVE: Amplex Div p/n T-504			1	0.5	0.3	10.0		10707
P1F	5340-282-0813		RING,RETAINING: (For authorized allowances see GROUP 1)			10					10949
P1F	5340-256-2867		RING,RETAINING: (For authorized allowances see GROUP 1)			1					10960
P1F	5340-282-0780		RING,RETAINING: (For authorized allowances see GROUP 1)			2					10969
P1F	5815-356-3263		DETENT: SigC dwg SC-B-70108			1	0.5	0.3	2.0		50108A
P1F	5815-356-3273		ROLLER,PAPER: SigC dwg SC-B-70113			1	1.3	0.7	3.0		50161A
P1F	5815-356-3275		PAWL: SigC dwg SC-B-70098			1	0.5	0.3	3.0		50165
P1F	5815-356-3286		ARM: Sig dwg SC-B-70100			1	0.5	0.3	10.0		50214
P1F	5305-356-4126		SETSCREW: Sig dwg SC-B-70103			1	1.0	0.5	10.0		50238

Army-Ft Monmouth,NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-521-8729		WASHER,FLAT: Sig dwg SC-B-69322-1 (Authorized allowances based on a total of 10)			4	2.0	1.2	100.0		50315
P1F	5815-598-4963		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-22			1	1.0	0.5	5.0		50333
P1F	5340-262-3849		RING,RETAINING: Sig dwg SC-B-69739			2	2.0	1.2	10.0		51099
P1F	5310-205-8932		WASHER,FLAT: Sig dwg SC-B-69322-8			4	1.1	0.6	40.0		51768
P1F	5815-598-4990		SPRING,HELICAL,EXTENSION: Sig dwg SC-C-69326-23			2	1.5	0.8	20.0		51851
P1F	5815-596-2295		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-3			1	1.0m	0.5	10.0		52169
P1F	5815-392-7846		WHEEL,RATCHET: Sig dwg SM-B-148497			1	0.5	0.3	35.0		52807
P1F	5815-692-6843		STUD,THREADED: Sig dwg SM-B-148544			1	1.0	0.5	10.0		52931
P1F	5815-392-7889		LEVER: Sig dwg SM-B-148599			1	0.8	0.4	10.0		53095A
P1F	5815-040-1487		LEVER: Sig dwg SM-B-148627			1	0.8	0.4	10.0		53137A
P1F	5815-597-2285		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-11			1	1.0	0.5	10.0		53149
P1F	5815-537-7672		LEVER,ASSEMBLY: Sig dwg SC-B-69576			1	0.8	0.4	10.0		53202A
P1F	5815-322-5584		LATCH,LEVER: Sig dwg SM-B-186996			1	0.5	0.3	3.0		54951
P1F	5815-322-5585		LEVER: Sig dwg SM-B-186999			1	0.8	0.4	10.0		54954A
P1F	5815-338-3384		SHAFT,PLATEN: Sig dwg SM-B-18700			1	0.5	0.3	1.0		54955A
P1F	5815-663-3381		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-187002			1	1.0	0.5	5.0		54957
P1F	5815-663-3066		CRANK ASSEMBLY: Sig dwg SM-B-187005			1	0.5	0.3	5.0		54960A
P1F	5815-327-5144		ROLLER ASSEMBLY,PAPER: Sig dwg SM-C-187625			1	1.0	[illegible]	10.0		54965A
P1F	5815-523-8660		SPRING,HELICAL,TORSION: Sig dwg SM-B-187008			2	1.5	0.8	2.0		54967
P1 F	5815-600-3026		PIN,GROOVED,HEADLESS: Sig dwg SM-B-187009			1	[illegible]	0.3	3.0		54968

Army-Ft Monmouth,NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD FIELD	4TH FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5305-521-8650		SETSCREW: Sig dwg SM-B-187057			1	1.0	0.5	10.0		55139
P1F	5815-591-0868		GUIDE,PAPER: Sig dwg SM-B-187059-1			1	0.5	0.3	5.0		55141A
P1F	5815-664-2137		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-186875-6			3	1.9	1.1	30.0		55143
P1F	5815-591-0869		GUIDE,PAPER: Sig dwg SM-B-187059-2			1	0.5	0.3	5.0		55144A
P1F	5815-340-3725		SHAFT,PLATEN PRESSURE: Sig dwg SM-B-187097			1	0.5	0.3	2.0		55530A
P1F	5815-594-4096		ARM: Kleinschmidt part 57981A			1	0.5	0.3	10.0		57981A
P1F	5815-472-7282		LINK,CONNECTING: Kleinschmidt part 62611A			1	0.5	0.3	2.0		62611A
			GROUP 5 CARRIAGE ASSEMBLY								
P1F	5305-521-8637		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			6					10001
P1F	5305-531-9034		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			4					10003
P1F	5305-753-4356		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-2 (Authorized allowances based on a total of 19)			8	6.3	2.6	190.0		10004
P1F	5305-543-5891		SCREW,CAP,SOCKETHEAD: MIL type MS-35459-17 (Authorized allowances based on a total of 10)			2	4.2	2.7	100.0		10011
P1F	5305-655-6955		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-11 (Authorized allowances based on a total of 4)			2	2.0	1.2	40.0		10024
P1F	5305-297-7962		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10025 (Authorized allowances based on a total of 12)			2	4.8	3.0	120.0		10025
P1F	5305-579-1518		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10050 (Authorized allowances based on a total of 4)			2	2.6	1.6	40.0		10050
P1F	5305-531-1200		SCREW,CAP,SOCKETHEAD: MIL type MS-35459-20			2	1.5	0.8	20.0		10063

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5305-333-4261		SETSCREW: (For authorized allowances see GROUP 4)			8					10201
P1F	5305-579-5304		SETSCREW: MIL type MS-51019-35 (Authorized allowances based on a total of 2)			1	1.5	0.8	20.0		10204
P1F	5305-333-4264		SETSCREW: MIL type MS-51020-56			2	1.5	0.8	20.0		10214
P1F	5305-537-8249		SCREW,MACHINE: Kleinschmidt p/n 10306			2	1.5	0.8	20.0		10306
P1F	5305-298-8569		SCREW,MACHINE: Kleinschmidt p/n 10319			1	1.0	0.5	10.0		10319
P1F	5305-533-5352		SCREW,MACHINE: Kleinschmidt p/n 10320			1	1.0	0.5	10.0		10320
P1F	5310-178-8361		WASHER,LOCK: MIL type MS-35333-75			1	1.0	0.5	10.0		10401
P1F	5310-543-2739		WASHER,LOCK: (For authorized allowances see GROUP 1)			2					10404
P1F	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			18					10429
P1F	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 1)			7					10430
P1F	5310-198-3711		WASHER,LOCK: (For authorized allowances see GROUP 3)			5					10431
P1F	5310-013-1116		WASHER,LOCK: (For authorized allowances see GROUP 1)			2					10432
P1F	5310-637-3945		WASHER,FLAT: Kleinschmidt part 10461 (Authorized allowances based on a total of 6)			2	1.5	0.8	60.0		10464
P1F	5310-595-5385		WASHER,FLAT: (For authorized allowances see GROUP 4)			3					10467
P1F	5310-551-7541		NUT,SELF-LOCKING;HEXAGONAL: (For authorized allowances see GROUP 1)			2					10500
P1F	5310-523-2035		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			1					10501
P1F	5310-524-0219		NUT,PLAIN,WING: Kleinschmidt p/n 10508 (Authorized allowances based on a total of 2)			1	1.5	0.8	20.0		10508

Army-Ft Monmouth,NJ-MO

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						AN/FGC-21 (continued)								
	P1	F		5310-208-6617		NUT,PLAIN,HEXAGONAL: Kleinschmidt part 10509 (Authorized allowances based on a total of 5)			3	2.6	1.6	50.0		10509
9	P1	F		3110-271-0244		BEARING,BALL,ANNULAR: Fafnir part AKP4A-PS160			5	2.6	1.6	25.0		10752
9	P1	F		3110-144-8858		BEARING,BALL,ANNULAR: Fafnir part 38KDD-FS160 (Authorized allowances based on a total of 4)			2	2.0	1.2	20.0		10757
	P1	F		5815-228-6708		BAR,CONNECTING,TELETYPEWRITER: stamped 1; Sig dwg SC-C-69992-1			1	0.8	0.4	5.0		50022
	P1	F		5815-228-6709		BAR,CONNECTING,TELETYPEWRITER: stamped 2; Sig dwg SC-C-69992-2			1	0.8	0.4	5.0		50023
	P1	F		5815-228-6701		BAR,CONNECTING,TELETYPEWRITER: stamped 3; Sig dwg SC-C-69992-3			1	0.8	0.4	5.0		50024
	P1	F		5815-228-6713		BAR,CONNECTING,TELETYPEWRITER: stamped 4; Sig dwg SC-C-69992-4			1	0.8	0.4	5.0		50025
	P1	F		5815-228-6714		BAR,CONNECTING,TELETYPEWRITER: stamped 5; Sig dwg SC-C-69992-5			1	0.8	0.4	5.0		50026
	P1	F		5815-228-6753		BAR,CONNECTING,TELETYPEWRITER: stamped 6; Sig dwg SC-C-69992-6			1	0.8	0.4	5.0		50027
	P1	F		5815-228-6751		BAR,CONNECTING,TELETYPEWRITER: stamped 7; Sig dwg SC-C-69992-7			1	0.8	0.4	5.0		50028
	P1	F		5815-228-6707		BAR,CONNECTING,TELETYPEWRITER: stamped 8; Sig dwg SC-C-69992-8			1	0.8	0.4	5.0		50029
	P1	F		5815-228-6704		BAR,CONNECTING,TELETYPEWRITER: stamped 9; Sig dwg SC-C-69992-9			1	0.8	0.4	5.0		50030
	P1	F		5815-228-6705		BAR,CONNECTING,TELETYPEWRITER: stamped 10; Sig dwg SC-C-69992-10			1	0.8	0.4	5.0		50031
	P1	F		5815-228-6752		BAR,CONNECTING,TELETYPEWRITER: stamped 11; Sig dwg SC-C-69992-11			1	0.8	0.4	5.0		50032
	P1	F		5815-224-6460		BAR,CONNECTING,TELETYPEWRITER: stamped 12; Sig dwg SC-C-69992-12			1	0.8	0.4	5.0		50033
	P1	F		5815-228-6703		BAR,CONNECTING,TELETYPEWRITER: stamped 13; Sig dwg SC-C-69992-13			1	0.8	0.4	5.0		50034

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-224-6459		BAR,CONNECTING,TELETYPEWRITER: stamped 14; Sig dwg SC-C-69992-14			1	0.8	0.4	5.0		50035
P1F	5815-228-6712		BAR,CONNECTING,TELETYPEWRITER: stamped 15; Sig dwg SC-C-69992-15			1	0.8	0.4	5.0		50036
P1F	5815-228-6702		BAR,CONNECTING,TELETYPEWRITER: stamped 16; Sig dwg SC-C-69992-16			1	0.8	0.4	5.0		50037
P1F	5815-228-6710		BAR,CONNECTING,TELETYPEWRITER: stamped 17; Sig dwg SC-C-69992-17			1	0.8	0.4	5.0		50038
P1F	5815-228-6696		BAR,CONNECTING,TELETYPEWRITER: stamped 18; Sig dwg SC-C-69992-18			1	0.8	0.4	5.0		50039
P1F	5815-228-6700		BAR,CONNECTING,TELETYPEWRITER: stamped 19; Sig dwg SC-C-69992-19			1	0.8	0.4	5.0		50040
P1F	5815-228-6711		BAR,CONNECTING,TELETYPEWRITER: stamped 20; Sig dwg SC-C-69992-20			1	0.8	0.4	5.0		50041
P1F	5815-228-6695		BAR,CONNECTING,TELETYPEWRITER: stamped 21; Sig dwg SC-C-69992-21			1	0.8	0.4	5.0		50042
P1F	5815-228-6754		BAR,CONNECTING,TELETYPEWRITER: stamped 22; Sig dwg SC-C-69992-22			1	0.8	0.4	5.0		50043
P1F	5815-228-6697		BAR,CONNECTING,TELETYPEWRITER: stamped 23; Sig dwg SC-C-69992-23			1	0.8	0.4	5.0		50044
P1F	5815-228-6706		BAR,CONNECTING,TELETYPEWRITER: stamped 24; Sig dwg SC-C-69992-24			1	0.8	0.4	5.0		50045
P1F	5815-228-6698		BAR,CONNECTING,TELETYPEWRITER: stamped 25; Sig dwg SC-C-69992-25			1	0.8	0.4	5.0		50046
P1F	5815-228-6699		BAR,CONNECTING,TELETYPEWRITER: stamped 26; Sig dwg SC-C-69992-26			1	0.8	0.4	5.0		50047
P1F	5815-322-4326		BAR,CONNECTING,TELETYPEWRITER: stamped 27; Sig dwg SC-C-69992-27			1	0.8	0.4	5.0		50048
P1F	5815-243-5926		NOTE: The following set of type bars may be used when Teletypewriters TT-100A,B/FG are operated at 60 WPM. BAR,T,TELETYPEWRITER: (X 1) Sig dwg SM-D-187782-3			1	0.8	0.4	5.0		50056A

Army-Ft Monmouth,NJ-MON

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-356-3243		BAR,T,TELETYPEWRITER: (P Ø); Sig dwg SM-D-187782-7			1	0.8	0.4	5.0		50060A
P1F	5815-356-3244		BAR,T,TELETYPEWRITER: (M.Ø) Sid_ dwg SM-D-187782-8			1	0.8	0.4	5.0		50061A
P1F	5815-356-3246		BAR,T,TELETYPEWRITER: (R4); Sig dwg SM-D-187782-10			1	0.8	0.4	5.0		50063A
P1F	5815-356-3247		BAR,T,TELETYPEWRITER: (O9); Sig dwg SM-D-187782-11			1	0.8	0.4	5.0		50064A
P1F	5815-356-3248		BAR,T,TELETYPEWRITER: (I8); Sig dwg SM-D-187782-12			1	0.8	0.4	5.0		50065A
P1F	5815-356-3249		BAR,T,TELETYPEWRITER: (T5); Sig dwg SM-D-187782-13			1	0.8	0.4	5.0		50066A
P1F	5815-356-3250		BAR,T,TELETYPEWRITER: (E3); Sig dwg SM-D-187782-14			1	0.8	0.4	5.0		50067A
P1F	5815-356-3257		BAR,T,TELETYPEWRITER: (U7); Sig dwg SM-D-187782-21			1	0.8	0.4	5.0		50074A
P1F	5815-356-3259		BAR,T,TELETYPEWRITER: (Y6); Sig dwg SM-D-187782-23			1	0.8	0.4	5.0		50076A
P1F	5815-356-3260		BAR,T,TELETYPEWRITER: (W2); Sig dwg SM-D-187782-24			1	0.8	0.4	5.0		50077A
P1F	5815-356-3262		BAR,T,TELETYPEWRITER: (Q1); Sig dwg SM-D-187782-26			1	0.8	0.4	5.0		50079A
P1F	5815-322-4344		BAR,T,TELETYPEWRITER: (Z); Sig dwg SM-D-171421-GP 1			1	0.8	0.4	5.0		53074A
P1F	5815-322-4345		BAR,T,TELETYPEWRITER: (J); Sig dwg SM-D-171421-GP II			1	0.8	0.4	5.0		53075A
P1F	5815-322-4346		BAR,T,TELETYPEWRITER: (V); Sig dwg SM-C-171421-GP III			1	0.8	0.4	5.0		53076A
P1F	5815-322-4347		BAR,T,TELETYPEWRITER: (B); Sig dwg SM-C-171421-GP IV			1	0.8	0.4	5.0		53077A
P1F	5815-322-4348		BAR,T,TELETYPEWRITER: (C); Sig dwg SM-C-171421-GP V			1	0.8	0.4	5.0		53078A
P1F	5815-322-4349		BAR,T,TELETYPEWRITER: (F); Sig dwg SM-C-171421-GP VI			1	0.8	0.4	5.0		53079A

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-322-4350		BAR,T,TELETYPEWRITER: (A); Sig dwg SM-C-171421-GP VII			1	0.8	0.4	5.0		53080A
P1F	5815-322-4351		BAR,T,TELETYPEWRITER: (H); Sig dwg SM-C-171421-GP VIII			1	0.8	0.4	5.0		53081A
P1F	5815-322-4352		BAR,T,TELETYPEWRITER: (N); Sig dwg SM-C-171421-GP IX			1	0.8	0.4	5.0		53082A
P1F	5815-322-4353		BAR,T,TELETYPEWRITER: (L); Sig dwg SM-C-171421-GP X			1	0.8	0.4	5.0		53083A
P1F	5815-322-4354		BAR,T,TELETYPEWRITER: (D); Sig dwg SM-C-171421-GP XI			1	0.8	0.4	5.0		53084A
P1F	5815-322-4355		BAR,T,TELETYPEWRITER: (G); Sig dwg SM-C-171421-GP XII			1	0.8	0.4	5.0		53085A
P1F	5815-322-5571		BAR,T,TELETYPEWRITER: (K); Sig dwg SM-C-171421-GP XIII			1	0.8	0.4	5.0		53086A
P1F	5815-322-5572		BAR,T,TELETYPEWRITER: (-); Sig dwg SM-C-171421-GP XIV			1	0.8	0.4	5.0		53087A
			NOTE: The following set of type bars should be used when Teletypewriters TT-100A,B/FG are operated at 100 WPM.								
P1F	5815-602-2797		BAR T, TELETYPEWRITER: (X) Klein-schmidt part 62213			1	0.8	0.4	5.0		62213
P1F	5815-602-2791		BAR T, TELETYPEWRITER: (P) Klein-schmidt part 62217			1	0.8	0.4	5.0		62217
P1F	5815-602-2785		BAR T, TELETYPEWRITER: (M) Klein-schmidt part 62218			1	0.8	0.4	5.0		62218
P1F	5815-602-2788		BAR T, TELETYPEWRITER: (R) Klein-schmidt part 62220			1	0.8	0.4	5.0		62220
P1F	5815-602-2787		BAR T, TELETYPEWRITER: (O) Klein-schmidt part 62221			1	0.8	0.4	5.0		62221
P1F	5815-602-2767		BAR T, TELETYPEWRITER: (I) Klein-schmidt part 62222			1	0.8	0.4	5.0		62222
P1F	5815-602-2789		BAR T, TELETYPEWRITER: (T) Klein-schmidt part 62223			1	0.8	0.4	5.0		62223

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-602-2781		BAR T, TELETYPEWRITER: (E) Kleinschmidt part 62224			1	0.8	0.4	5.0		62224
P1F	5815-602-2773		BAR T, TELETYPEWRITER: (U) Kleinschmidt part 62231			1	0.8	0.4	5.0		62231
P1F	5815-602-2772		BAR T, TELETYPEWRITER: (Y) Kleinschmidt part 62233			1	0.8	0.4	5.0		62233
P1F	5815-602-2770		BAR T, TELETYPEWRITER: (W) Kleinschmidt part 62234			1	0.8	0.4	5.0		62234
P1F	5815-602-2769		BAR T, TELETYPEWRITER: (Q) Kleinschmidt part 62236			1	0.8	0.4	5.0		62236
P1F	5815-718-6198		BAR T, TELETYPEWRITER: (Z +) Kleinschmidt part 62237			1	0.8	0.4	5.0		62237
P1F	5815-118-6197		BAR T, TELETYPEWRITER: (J /) Kleinschmidt part 62238			1	0.8	0.4	5.0		62238
P1F	5815-718-6195		BAR T, TELETYPEWRITER: (V⌫) Kleinschmidt part 62239			1	0.8	0.4	5.0		62239
P1F	5815-718-6193		BAR T, TELETYPEWRITER: (B⊕) Kleinschmidt part 62240			1	0.8	0.4	5.0		62240
P1F	5815-718-6191		BAR T, TELETYPEWRITER: (CO) Kleinschmidt part 62241			1	0.8	0.4	5.0		62241
P1F	5815-718-6178		BAR T, TELETYPEWRITER: (F→) Kleinschmidt part 62242			1	0.8	0.4	5.0		62242
P1F	5815-718-6170		BAR T, TELETYPEWRITER: (A↑) Kleinschmidt part 62243			1	0.8	0.4	5.0		62243
P1F	5815-718-6168		BAR T, TELETYPEWRITER: (H↓) Kleinschmidt part 62244			1	0.8	0.4	5.0		62244
P1F	5815-718-6167		BAR T, TELETYPEWRITER: (N (ll)) Kleinschmidt part 62245			1	0.8	0.4	5.0		62245
P1F	5815-718-6138		BAR T, TELETYPEWRITER: (L↖) Kleinschmidt part 62246			1	0.8	0.4	5.0		62246
P1F	5815-718-6143		BAR T, TELETYPEWRITER: (D↗) Kleinschmidt part 62247			1	0.8	0.4	5.0		62247

Army-Ft Monmouth,NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-718-6144		BAR T, TELETYPEWRITER: (G↘) Kleinschmidt part 62248			1	0.8	0.4	5.0		62248
P1F	5815-718-6151		BAR T, TELETYPEWRITER: (K←) Kleinschmidt part 62249			1	0.8	0.4	5.0		62249
P1F	5815-739-4458		BAR T, TELETYPEWRITER: (-) Kleinschmidt part 62250			1	0.8	0.4	5.0		62250
P1F	5815-602-2764		BAR T, TELETYPEWRITER: (S)Kleinschmidt part 62261			1	0.8	0.4	5.0		62261
P1F	5310-521-8729		WASHER,FLAT: (For authorized allowances see GROUP 4)			2					50315
P1F	5310-062-2948		WASHER,FLAT: Sig dwg SC-D-69322-3			2	0.8	0.4	20.0		50320
P1F	5815-240-0190		COLLAR,SHAFT: Sig dwg SC-B-70020			2	0.8	0.4	4.0		50392
P1F	5815-356-3317		PLATE,DETENT: Sig dwg SC-B-70024			1	0.5	0.3	2.0		50393
P1F	5815-356-3318		RAIL,GUIDE: Sig dwg SC-C-69604			1	0.5	0.3	2.0		50394A
P1F	5815-598-4994		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-11			1	1.0	0.5	10.0		50403
P1F	5310-523-2143		WASHER,FLAT: (For authorized allowances see GROUP 3)			2					50414
P1F	5815-356-3324		CUSHION: Sig dwg SC-B-70050			1	1.0	0.5	10.0		50429A
P1F	5815-356-3325		NUT,PLAIN,PLAT: Sig dwg SC-B-70021			2	0.8	0.4	20.0		50434
P1F	5815-356-3326		SHAFT: Sig dwgSC-B-70054			2	0.8	0.4	2.0		50435A
P1F	5815-598-4997		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-12			2	1.5	0.8	20.0		50447
P1F	5815-356-3360		SHIM: Sig dwg SC-B-69998 (Authorized allowances based on a total of 2)			1	0.8	0.4	20.0		50552
P1F	5815-356-3361		CLAW: Sig dwg SC-B-70068			1	0.5	0.3	2.0		50553A
P1F	5815-203-1520		GEAR,HELICAL: Sig dwg SC-B-69999			1	1.0	0.5	3.0		50556
P1F	5315-243-8876		KEY,MACHINE: Sig dwg SC-B-70001			1	0.5	0.3	5.0		50558
P1F	5310-221-4915		NUT,PLAIN,HEXAGONAL: Sig dwg SC-B-70002			1	1.0	0.5	10.0		50559

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-652-4438		ARM: Sig dwg SC-B-70071			1	0.5	0.3	10.0		50560A
P1F	5310-521-8480		NUT,PLAIN,ROUND: Sig dwg SC-B-70003			1	1.0	0.5	10.0		50564
P1F	5305-521-8481		BOLT,EXTERNALLY RELIEVED BODY: Sig dwg SC-B-70009			4	1.1	0.6	12.0		50591
P1F	5305-351-7940		STUD: Sig dwg SC-B-70011			1	0.5	0.3	2.0		50593
P1F	5305-351-7941		STUD,THREADED: Sig dwg SC-B-70012			1	0.1	0.5	10.0		50594
P1F	5340-598-4972		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-20			27	8.3	3.6	270.0		50595
P1F	5815-356-3370		HOOK: Sig dwg SC-B-69517 (Authorized allowances based on a total of 2)			1	0.8	0.4	2.0		50598
P1F	5305-298-8573		SCREW,MACHINE: Sig dwg SC-B-70014			4	2.0	1.2	40.0		51132
P1F	5815-356-3492		SPRING,HELICAL,EXTENSION: (For authorized allowances see GROUP 3)			1					51544
P1F	5815-663-3315		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148310-8			2	1.5	0.8	10.0		53961
P1F	5815-322-5593		LEVER: Sig dwg SM-B-187037			1	0.8	0.4	10.0		55026A
P1F	5815-322-5594		LEVER: Sig dwg SM-B-171639			1	0.8	0.4	10.0		55028A
P1F	5815-322-5595		GUIDE,RIBBON: Sig dwg SM-B-187040			1	1.0	0.5	5.0		55036
P1F	5815-537-7696		LEVER ASSEMBLY: Sig dwg SM-B-187177			1	0.8	0.4	10.0		55790A
P1F	5815-537-7697		LEVER ASSEMBLY: Sig dwg SM-B-187179			1	0.8	0.4	10.0		55795A
P1F	5815-545-8207		BAR T, TELETYPEWRITER: (S); Sig dwg SM-D-187782-GP 16			1	0.8	0.4	5.0		56684A
P1F	5815-594-4071		RACK: Kleinschmidt part 57951			1	1.0	0.5	3.0		57951
P1F	5815-472-7289		DRIVE,RIBBON: Kleinschmidt part 63503A			1	1.0	0.5	2.0		63503A
			NOTE: Maintenance parts required when MWO 197 is installed.								

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
1OP1F	7510-308-7331		INK,TELETYPEWRITER: Stafford Co, p/n T-723			1	1.0	0.5	5.0		
P1F	5815-327-5482		INKING PAD,TELETYPEWRITER RIBBON: Sig dwg SM-B-176697			1	0.8	0.4	5.0		
P1F	5815-699-0271		INKWELL ASSEMBLY: Sig dwg SC-B-53071			2	0.8	0.4	10.0		
1OP1F	7510-292-9047		RIBBON,TELETYPEWRITER: Leedal p/n S-K-T-500-13-NYLON-1R			1	89.4	81.4	400.0		
P1F	5815-699-0229		TOOL,CLEANING: Sig dwg SC-B-53076			1	0.5	0.3	5.0		
P1F	5815-699-0251		TOOL,FELT: Sig dwg SC-B-53075			1	0.5	0.3	5.0		
			GROUP 6 MAIN FRAME ASSEMBLY								
P1F	5815-323-7321		ELECTROMAGNET: Kleinschmidt part 56130A			1	1.0	0.5	3.0		E2
P1F	5935-296-8675		CONNECTOR,PLUG,ELECTRICAL: Amphenol p/n 26-195			2	1.5	0.8	20.0		P2,P8
P1F	5905-556-5561		RESISTOR,VARIABLE: MIL-R-94 type No. RV4ATSA502			1	1.0	0.5	10.0		R4
P1F	5930-549-5725		CONTACT,ELECTRICAL: Kleinschmidt p/n 53770A			2	1.5	0.8	10.0		S1,S2
P1F	5930-636-7237		CONTACT ASSEMBLY,ELECTRICAL: Kleinschmidt p/n 53776A			1	1.0	0.5	10.0		S9
P1F	5305-335-0400		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10000			1	1.0	0.5	10.0		10000
P1F	5305-521-8637		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			1					10001
P1F	5305-531-9034		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			12					10003
P1F	5305-753-4356		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			11					10004
P1F	5305-655-9483		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-3			3	1.9	1.1	30.0		10005
P1F	5305-514-7728		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-4			1	1.0	0.5	10.0		10006

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			AN/FGC-21 (continued)								
P1F	5305-274-0401		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			5					10008-01
P1F	5305-297-7966		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			2					10009
P1F	5305-206-2476		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10010 (Authorized allowances based on a total of 15)			7	5.5	2.2	150.0		10010
P1F	5305-543-5891		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			3					10011
P1F	5305-514-7729		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10014			2	1.5	0.8	20.0		10014
P1F	5305-573-3925		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			1					10017
P1F	5305-545-8344		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			8					10017-01
P1F	5305-570-6002		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-13			5	2.6	1.6	50.0		10018
P1F	5305-537-8200		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10018-01			5	2.6	1.6	50.0		10018-01
P1F	5305-655-6955		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			2					10024
P1F	5305-530-9381		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10024-01			2	1.5	0.8	20.0		10024-01
P1F	5305-297-7962		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			4					10025
P1F	5305-545-8374		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10032 (Authorized allowances based on a total of 6)			2	2.6	1.6	60.0		10032
P1F	5305-546-6876		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10052 (Authorized allowances based on a total of 6)			2	2.6	1.6	60.0		10052
P1F	5305-297-7700		SCREW,MACHINE: Kleinschmidt p/n 10076			3	1.9	1.1	30.0		10076

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5305-333-4261		SETSCREW: (For authorized allowances see GROUP 4)			10					10201
P1F	5305-333-4262		SETSCREW: MIL type MS-51019-34			1	1.0	0.5	10.0		10203
P1F	5305-579-5304		SETSCREW: (For authorized allowances see GROUP 5)			1					10204
P1F	5305-576-5488		SETSCREW: Kleinschmidt part 10208 (Authorized allowances based on a total of 10)			6	4.2	2.7	100.0		10208
P1F	5305-207-8967		SETSCREW: (For authorized allowances see GROUP 3)			10					10209
P1F	5305-333-4254		SETSCREW: MIL type MS-51020-51			5	2.6	1.6	50.0		10211
P1F	5305-206-5101		SETSCREW: Kleinschmidt p/n 10212			1	1.0	0.5	10.0		10212
P1F	5305-297-7909		SETSCREW: MIL type MS-51027-30			1	1.0	0.5	10.0		10220
P1F	5305-297-7894		SETSCREW; MIL type MS-51020-27			2	1.5	0.8	20.0		10221
P1F	5305-297-7905		SETSCREW: MIL type MS-51020-49 (Authorized allowances based on a total of 4)			2	2.0	1.2	40.0		10223
P1F	5305-297-7962		SETSCREW: Kleinschmidt part 10225			1	1.0	0.5	10.0		10225
P1F	5305-545-8466		SETSCREW: MIL type MS-51028-29			2	1.5	0.8	20.0		10235
P1F	5305-521-8649		SCREW,MACHINE: Kleinschmidt part 10307			1	1.0	0.5	10.0		10307
P1F	5305-638-0861		SCREW,MACHINE: Kleinschmidt p/n 10317			4	2.0	1.2	40.0		10317
P1F	5305-206-3903		SCREW MACHINE: Kleinschmidt p/n 10386			2	1.5	0.8	20.0		10386
P1F	5310-209-3990		WASHER,LOCK: (For authorized allowances see GROUP 3)			3					10403
P1F	5310-543-2739		WASHER,LOCK: (For authorized alowances see GROUP 1)			2					10404
P1F	5310-282-9584		WASHER,LOCK: (For authorized allowances see GROUP 1)			11					10405

Army-Ft Monmouth,NJ-MON 4/5-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5310-261-6197		WASHER,LOCK: Shakeproof p/n 4010-14-00 (Authorized allowances based on a total of 6)			2	3.1	2.0	60.0		10406
P1F	5310-180-0277		WASHER,LOCK: MIL type MS-35333-76 (Authorized allowances based on a total of 3)			1	1.0	1.1	30.0		10419
P1F	5310-637-9606		WASHER,LOCK: Kleinschmidt p/n 10420			2	1.5	0.8	20.0		10420
P1F	5310-515-9940		WASHER,LOCK: MIL type MS-35333-58			1	1.0	0.4	10.0		10424
P1F	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			28					10429
P1F	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 1)			19					10430
P1F	5310-198-3711		WASHER,LOCK: (For authorized allowances see GROUP 3)			7					10431
P1F	5310-017-8164		WASHER,LOCK: MIL type MS-35339-58			4	2.0	1.2	40.0		10433
P1F	5310-209-3860		WASHER,LOCK: (For authorized allowances see GROUP 1)			2					10434
P1F	5310-186-7410		WASHER,FLAT: (For authorized allowances see GROUP 1)			9					10450
P1F	5340-282-0793		RING,RETAINING: Waldes p/n 5100-31-W (Authorized allowances based on a total of 2)			1	2.0	1.2	10.0		10451
P1F	5310-639-8165		WASHER,FLAT: (For authorized allowances see GROUP 4)			4					10458
P1F	5310-616-3747		WASHER,FLAT: Kleinschmidt p/n 10459 (Authorized allowances based on a total of 11)			5	2.0	1.2	110.0		10459
P1F	5310-637-3945		WASHER,FLAT: (For authorized allowances see GROUP 5)			4					10464
P1F	5310-551-7541		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			11					10500
P1F	5310-523-2035		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			7					10501

Army-Ft Monmouth,NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-489-9725		NUT,PLAIN,HEXAGONAL: Kleinshmidt p/n 10502			1	1.0	0.5	10.0		10502
P1F	5310-550-1154		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 1)			2					10504
P1F	5310-576-5487		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10505 (Authorized allowances based ona total of 6)			5	3.1	2.0	60.0		10505
P1F	5310-546-6858		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 3)			4					10507
P1F	5310-524-0219		NUT,PLAIN,WING: (For authorized allowances see GROUP 5)			1					10508
P1F	5310-208-6617		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 5)			2					10509
P1F	5310-208-4124		NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10516			1	1.0	0.5	10.0		10516
P1F	5310-521-8558		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 1)			3					10520
P1F	5310-558-6035		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10524			6	2.6	1.6	60.0		10524
P1F	5310-208-6742		NUT,PLAIN,HEXAGONAL: Kleinschmidt p/n 10529 (Authorized allowances based on a total of 3)			1	1.9	1.1	30.0		10529
9 P1F	3120-287-9068		BEARING,SLEEVE: Amplex p/n F-319			2	1.5	0.8	10.0		10705
9 P1F	3120-287-9007		BEARING,SLEEVE: Amplex p/n F-375-1			1	1.0	0.5	5.0		10706
9 P1F	3120-542-0187		BEARING,SLEEVE: Amplex p/n F-445-1			1	1.0	0.5	5.0		10708
9 P1F	3120-662-2818		BEARING,SLEEVE: Amplex p/n A-548-1			1	1.0	0.5	5.0		10712
9 P1F	3110-155-9628		BEARING,BALL,ANNULAR: (For authorized allowances see GROUP 3)			1					10753
9 P1F	3110-155-9589		BEARING,BALL,ANNULAR: Fafnir p/n 33KDD3-FS160			1	1.0	0.5	5.0		10754

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						AN/FGC-21 (continued)								
9	P1	F		3110-155-9601		BEARING,BALL,ANNULAR: Fafnir p/n 33KDD5-FS160 (Authorizedallowances based on a total of 3)			1	1.9	1.1	15.0		10755
9	P1	F		3110-533-4611		BEARING,BALL,ANNULAR: Fafnir p/n 37KDD-FS160			1	1.0	0.5	5.0		10756
9	P1	F		3110-144-8858		BEARING,BALL,ANNULAR:(For authorized allowances see GROUP 5)			2					10757
9	P1	F		3110-144-8865		BEARING,BALL,ANNULAR: Fafnir p/n 39KDD-FS160			1	1.0	0.5	5.0		10758
	P1	F		5315-839-2326		PIN,COTTER: MIL type MS-24665-281			2	2.0	1.2	10.0		10805
	P1	F		5315-242-5473		PIN,COTTER: Kleinschmidt 10806			2	2.0	1.2	10.0		10806
	P1	F		5315-209-7626		PIN,TAPERED,PLAIN: Kleinschmidt 10860			3	1.0	0.5	6.0		10860
	P1	F		5315-058-7353		PIN,TAPERED: Kleinschmidt p/n 10862			1	0.5	0.3	2.0		10862
10	P1	F		5340-282-0813		RING,RETAINING: (For authorized allowances see GROUP 1)			16					10949
	P1	F		5340-282-0778		RING,RETAINING: Waldes p/n X5133-31-PP			2	2.0	1.2	10.0		10959
	P1	F		5340-256-2867		RING,RETAINING: (For authorized allowances see GROUP 1)			10					10960
	P1	F		5340-282-0780		RING,RETAINING: (For authorized allowances see GROUP 1)			2					10969
	P1	F		5315-597-2409		PIN,SPRING: ESNA p/n 52-022-094-0312			4	1.1	0.6	8.0		11059
	P1	F		5940-642-4428		TERMINAL LUG: (For authorized allowances see GROUP 3)			1					20379
	P1	F		5340-209-9361		BUMPER,RUBBER: Levelle Rubber p/n 35PB			1	0.5	0.3	25.0		20762
	P1	F		5815-356-3235		LEVER: Sig dwg SC-B-69491			1	0.8	0.4	10.0		50014
	P1	F		5815-330-9941		BEARING,SET: (For authorized allowances see GROUP 3)			1					50019A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-356-3238		LATCH,LEVER: Sig dwg SC-B-69472			1	0.8	0.4	10.0		50020A
P1F	5310-523-2002		WASHER,FLAT: Sig dwg SC-B-69325-3			1	0.5	0.3	10.0		50053
P1F	5815-330-9942		BEARING,PIVOT: Sig dwg SC-B-69495			1	0.5	0.3	5.0		50146
P1F	5310-521-8475		WASHER,FLAT: (For authorized allowances see GROUP 3)			4					50147
P1F	5310-523-2003		WASHER,FLAT: Sig dwg SC-B-69389-3			9	1.9	1.1	90.0		50148
P1F	5305-524-5612		NUT,PLAIN,PLATE: Sig dwg SC-B-69449			1	1.0	0.5	10.0		50174
P1F	5815-523-8656		DISK,CLUTCH: Sig dwg SC-B-69500 (Authorized allowances based on a total of 2)			1	1.5	0.8	4.0		50200
P1F	5305-514-7484		SCREW,MACHINE: Sig dwg SC-B-69671			2	1.5	0.8	20.0		50207
P1F	5815-351-7893		GEAR,WORM: Sig dwg SC-B-69692			1	1.0	0.5	3.0		50268
P1F	5310-521-8729		WASHER,FLAT: (For authorized allowances see GROUP 4)			2					50315
P1F	5815-600-2698		CAM: Sig dwg SC-B-69594			1	1.0	0.5	5.0		50317A
P1F	5815-356-3307		POST,ANCHOR: Sig dwg SC-B-69503			1	0.8	0.4	1.0		50325A
P1F	5815-203-1678		GEAR,WORM: 60 WPM: Sig dwg SC-B-69681			1	1.0	0.5	3.0		50350
			OR								
P1F	5815-378-5593		GEAR,WORM: 60 WPM: Sig dwg SC-B-69663			1	1.0	0.5	3.0		50352A
			OR								
P1F	5815-203-1327		GEAR,WORM: 100WPM Sig dwg SC-B-70482			1	1.0	0.5	3.0		50596
			OR								
P1F	5815-351-7944		GEAR,WORM WHEEL: Sig dwg SC-B-70478			1	1.0	0.5	3.0		50597A
P1F	5815-203-1730		GEAR,SPUR: Sig dwg SC-B-70522			1	1.0	0.5	3.0		50354A
P1F	5310-523-2236		WASHER,FLAT: Sig dwg SC-B-69580			1	0.5	0.3	10.0		50374
P1F	5815-622-2014		CLUTCH,FRICTION: Sig dwg SM-B-148341			1	1.0	0.5	2.0		50377A

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-203-1447		GEAR,SPUR: Sig dwg SC-B-69581			1	1.0	0.5	3.0		50383
P1F	5310-524-5656		WASHER,FLAT: Sig dwg SC-B-69389-5			2	0.8	0.4	20.0		50384
P1F	5310-523-2143		WASHER,FLAT: (For authorized allowances see GROUP 3)			2					50414
P1F	5815-356-3327		SHAFT: Sig dwg SC-B-69585			1	0.5	0.3	1.0		50456
P1F	5815-356-3333		LINK,CONNECTING: Sig dwg SC-B-69586			1	0.5	0.3	2.0		50483
P1F	5815-356-3334		FORK,CLUTCH: (For authorized allowances see GROUP 3)			1					50484A
P1F	5815-356-3339		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-B-69639			32	6.7	2.8	160.0		50502
P1F	5815-356-3345		STOP,LEVER: Sig dwg SC-B-69483			1	0.8	0.4	10.0		50511
P1F	5815-351-7928		GEAR,SPUR: Sig dwg SM-B-148346			1	1.0	0.5	3.0		51512A
P1F	5310-521-8723		WASHER,FLAT: Sig dwg SC-B-69325-4 (Authorized allowances based on a total of 9)			2	1.9	1.1	90.0		50515
P1F	5815-607-3904		DRUM,CLUTCH: Sig dwg SC-C-70505			1	1.0	0.5	2.0		50516A
P1F	5815-228-6715		BAIL,PRINT: Sig dwg SC-B-69676			1	0.5	0.3	2.0		50533
P1F	5815-356-3354		SHAFT: SigC dwg SC-B-69677			1	0.5	0.3	1.0		50534
P1F	5815-356-3355		ARM: SigC dwg SC-B-69625			1	0.5	0.3	10.0		50535A
P1F	5815-356-3360		SHIM: (For authorized allowances see GROUP 5)			1					50552
P1F	5815-243-8497		GEAR ASSEMBLY: Sig dwg SC-B-69626			1	1.0	0.5	3.0		50565A
P1F	5815-356-3370		HOOK: (For authorized allowances see GROUP 5)			1					50598
P10	5815-356-3371		SHAFT ASSEMBLY: Sig dwg SC-C-69570			1	0.5	0.3	2.0		50605A
P1F	5815-351-7948		STUD: Sig dwg SC-B-69465			1	0.5	0.3	2.0		50650
P1F	5310-576-5486		NUT,PLAIN,HEXAGONAL: Sig dwg SC-B-6946			1	1.0	0.5	10.0		50651
P1F	5815-351-7951		GASKET: Sig dwg SC-B-69664			1	1.3	0.7	25.0		50725

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-356-3394		PLATE: Sig dwg SC-B-69541			1	0.5	0.3	2.0		50735
P1F	5815-356-3395		GATE,APERTURE: Sig dwg SC-B-69518			1	0.8	0.4	2.0		50743A
P1F	5310-638-5179		WASHER,FLAT: Sig dwg SC-B-69322-6			1	0.5	0.3	10.0		50746
P1F	5815-356-3397		CAM: Sig dwg SC-B-69706			1	0.8	0.4	5.0		50752
P1F	5815-356-3398		CAM: Sig dwg SC-B-69707			1	0.8	0.4	5.0		50753A
P1F	5815-224-6461		BAR,PUNCH,TELETYPEWRITER: Sig dwg SC-B-69544			2	1.1	0.6	10.0		50755
P1F	5815-356-3438		LATCH: Sig dwg SC-B-69525			1	0.5	0.3	3.0		50821
P1F	5815-356-3439		FOLLOWER,CAM: Sig dwg SC-B-148352			1	0.8	0.4	5.0		50822A
P1F	5310-523-2005		WASHER,FLAT: (For authorized allowances see GROUP 3)			1					50839
P1F	5815-356-3445		CLAW: Sig dwg SC-B-70494			1	0.5	0.3	2.0		50841A
P1F	5815-356-3446		ROLLER: Sig dwg SC-B-69666			2	0.8	0.4	2.0		50843
P1F	5815-233-0954		SPRING,HELICAL,COMPRESSION: Sig dwg SC-B-69507-11			1	1.0	0.5	5.0		50848
P1F	5815-662-6718		BEARING,SLEEVE: Sig dwg SC-B-69709			1	0.5	0.3	3.0		50952
P1F	5815-356-3454		LEVER: Sig dwg SM-B-148355			1	0.8	0.4	10.0		50874
P1F	6350-243-1251		CLAPPER,ELECTRIC BELL: Sig dwg SM-B-148357			1	0.5	0.3	4.0		50879A
P1F	5815-224-6462		BAR,PUNCH,TELETYPEWRITER: Sig dwg SC-B-69544			1	0.8	0.4	5.0		50881
P1F	5815-608-5821		STUD,PILOT: Sig dwg SC-B-70547			1	0.5	0.3	2.0		50886
P1F	5815-598-4993		SPRING,HELICAL EXTENSION: Sig dwg SC-B-69337-3			1	1.0	0.5	10.0		50901
P1F	5815-598-4965		SPRING,HELICAL,EXTENSION: (For authorized allowances see GROUP 3)			6					50902
P1F	5815-598-4995		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-4			1	1.0	0.5	10.0		50903

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-598-4978		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-6			1	1.0	0.5	10.0		50904
P1F	5815-598-4979		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-10			1	1.0	0.5	10.0		50906
P1F	5815-598-4982		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-7			1	1.0	0.5	10.0		50915
P1F	5815-598-4983		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-8			2	1.5	0.8	20.0		50916
P1F	5815-597-8275		SPRING,HELICAL,COMPRESSION: Sig dwg SC-B-69507-4			1	1.0	0.5	5.0		50917
P1F	5340-351-7974		SPRING,HELICAL EXTENSION: Sig dwg SC-B-69326-14			1	1.0	0.5	10.0		50919
P1F	5815-598-4984		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-6			2	1.5	0.8	20.0		50920
P1F	5815-598-4985		SPRING,HELICAL,COMPRESSION: Sig dwg SC-B-69326-13			1	1.0	0.5	5.0		50921
P1F	5815-356-3460		ARM: Sig dwg SC-B-69665			1	0.5	0.3	10.0		50936
P1F	5815-598-4945		SPRING,HELICAL,EXTENSION: (For authorized allowances see GROUP 3)			1					50941
P1F	5815-356-3462		FOLLOWER: Sig dwg SC-B-69679			1	0.5	0.3	2.0		50948
P1F	5815-570-3491		LEVER SET: Sig dwg SC-B-187564			1	0.8	0.4	10.0		51066A
P1F	5310-205-8352		WASHER,FLAT: Sig dwg SC-B-69591			1	0.5	0.3	10.0		51100
P1F	5815-351-7998		DISK,DRIVING: Sig dwg SM-B-148362 (Authorized allowances based on a total of 3)			1	1.9	1.1	6.0		51117
P1F	5815-254-4768		COUPLING,SHAFT,FLEXIBLE: Sig dwg			1	1.0	0.5	1.0		51167A
P1F	5815-547-7872		CAMSHAFT: Sig dwg SM-B-148365			1	0.5	0.3	5.0		51398A
P1F	5815-392-9518		WASHER,FLAT: Sig dwg SC-B-70402			2	0.8	0.4	20.0		51424
P1F	5310-205-8930		WASHER,FLAT: (For authorized allowances see GROUP 3)			3					51552
P1F	5305-399-7868		SCREW,MACHINE: (For authorized allowances see GROUP 3)			1					51568

Army-Ft Monmouth,NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-356-3519		LEVER,SET: (For authorized allowances see GROUP 3)			1					51598A
P1F	5340-598-4986		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-29			1	1.0	0.5	10.0		51645
P1F	5815-392-9531		FOLLOWER,CAM: Sig dwg SC-B-70426,GP2			1	0.8	0.4	5.0		51712A
P1F	5815-392-9532		FOLLOWER,CAM: Sig dwg SC-B-70426,GP 1			1	0.8	0.4	5.0		51714A
P1F	5815-392-9533		COLLAR,SPACING: Sig dwg SC-B-70572			1	0.5	0.3	2.0		51717
P1F	5815-338-4466		STUD: Sig dwg SC-B-70425			1	0.5	0.3	2.0		51719
P1F	5815-598-4992		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-28			2	1.5	0.8	20.0		51754
P1F	5815-598-9022		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-27			1	1.0	0.5	10.0		51755
P1F	5310-595-6452		WASHER,FLAT: Sig dwg SM-B-171489-1			1	0.5	0.3	10.0		51847
P1F	5310-595-6482		WASHER,FLAT: Sig dwg SM-B-171622			1	0.5	0.3	10.0		51848
P1F	5340-664-2592		WASHER,FLAT: Sig dwg SM-B-171456-2			1	0.5	0.3	10.0		52118
P1F	5815-395-9455		SHAFT: Sig dwg SM-B-148423			1	0.5	0.3	1.0		52288
P1F	5815-534-3014		STUD,THREADED: Sig dwg SM-B-148435			1	1.0	0.5	2.0		52319
P1F	5815-342-6022		LEVER: Sig dwg SM-B-149065			1	0.8	0.4	10.0		52394A
P1F	5815-393-1910		LEVER: Sig dwg SC-B-70401			1	0.8	0.4	10.0		52454
P1F	5815-663-3377		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-186876-14			1	1.0	0.5	10.0		52501
P1F	5815-591-0867		POST,ANCHOR: Sig dwg SM-B-148451			1	0.5	0.3	1.0		52552
P1F	5815-534-3017		STUD,THREADED: Sig dwg SM-B-148452			1	1.0	0.5	2.0		52552
P1F	5815-392-7823		LEVER: Sig dwg SM-B-148456			1	0.8	0.4	10.0		52659A
P1F	5815-096-7462		SCREW,ADJUSTMENT: Sig dwg SM-B-148458			2	1.5	0.8	20.0		52688
P1F	5815-392-7838		LATCH,LEVER: Sig dwg SM-B-148465			1	0.8	0.4	10.0		52748
P1F	5815-392-7839		LEVER: Sig dwg SM-B-148466			1	0.8	0.4	10.0		52749

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-393-1921		DIAL,SCALE: Sig dwg SM-B-148536			1	0.5	0.3	2.0		52920A
P1F	5340-200-6613		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148550			19	6.3	2.6	95.0		52940
P1F	5815-692-6844		STUD,THREADED: Sig dwg SM-B-148556			1	1.0	0.5	2.0		52948
P1F	5815-324-9262		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148310-3			1	1.0	0.5	5.0		52953
P1F	5815-392-7887		LATCH,LEVER: Sig dwg SM-B_148567			1	0.8	0.4	10.0		52963
P1F	5310-558-3153		WASHER,FLAT: (For authorized allowances see GROUP 1)			1					52988
P1F	5815-392-7892		LEVER: Sig dwg SM-B-148608			1	0.8	0.4	10.0		53106
P1F	5307-639-3317		STUD: Sig dwg SM-B-148612			1	0.5	0.3	2.0		53111
P1F	5815--393-1925		SHIELD,CONTACT: Sig dwg SM-B-148615			1	0.5	0.3	5.0		53116
P1F	5815-392-7895		LEVER: Sig dwg SM-B-148621			1	0.8	0.4	10.0		53129A
P1F	5305-297-7694		SCREW,MACHINE: Sig dwg SM-B-148648			4	2.0	1.2	40.0		53183
P1F	5815-356-3486		POST,SHOULDERED: Sig dwg SC-B-69807			2	0.4	0.8	2.0		53268
P1F	5305-393-1931		POST,SHOULDERED: Sig dwg SC-B-69695			1	0.5	0.3	1.0		53269
P1F	5815-392-7917		BALL,POSITIONING: Sig dwg SM-B-148659			1	0.5	0.3	2.0		53306A
P1F	5815-392-7920		LINK,CONNECTING: Sig dwg SM-B-148696			1	0.5	0.3	2.0		53413
P1F	5310-298-8157		WASHER,FLAT: Sig dwg SC-B-69325-6			1	0.5	0.3	10.0		53453
P1F	5815-092-1442		STOP,LEVER SET: Kleinschmidt p/n 53530A			1	0.8	0.4	10.0		53530A
P1F	5815-322-5574		LEVER SET: Kleinschmidt p/n 53540A			1	0.8	0.4	10.0		53540A
P1F	5815-322-4361		BAR,PUNCH,TELETYPEWRITER: Kleinschmidt p/n 53606			1	0.8	0.4	5.0		53606
P1F	5815-672-0043		RING SET,CODE,TELETYPEWRITER: Kleinschmidt p/n 61059A			1	0.8	0.4	2.0		53641A-45A
P1F	5815-301-4611		RETAINER,BALL: Sig dwg SM-B-148761			6	3.1	2.0	12.0		53647A

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1 P1F	5815-322-4363		BAR,PUNCH,TELETYPEWRITER: Kleinschmidt p/n 53648			1	0.8	0.4	5.0		53648
P1F	5815-399-7871		SPRING,HELICAL,TORSION: Kleinschmidt p/n 53649			1	1.0	0.5	1.0		53649
P1F	5815-395-9509		CAM: Sig dwg SM-B-171422			1	0.8	0.4	5.0		53772
P1F	5815-322-5575		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SM-B-171391			1	0.8	0.4	5.0		53779
P1F	5815-395-9510		ARM: Sig dwg SM-B-148776			1	0.8	0.4	10.0		53802A
P1F	5815-594-4063		SELECTOR,CONTROL,SUB-ASSEMBLY: Kleinschmidt part 57926A (Replaces 53809A)			1	0.8	0.4	2.0		53809A
P1F	5815-692-6759		BEARING,SLEEVE: Sig dwg SM-B-148780			1	0.8	0.4	3.0		53867
P1F	5815-040-1513		FOLLOWER,CAM: Sig dwg SM-B-148782			1	0.8	0.4	5.0		53869
P1F	5815-395-9511		SHAFT: Sig dwg SM-B-148784			1	0.8	0.4	1.0		53871
P1F	5815-399-7877		LEVER: Sig dwg SM-B-148788			1	0.8	0.4	10.0		53875A
P1F	5815-395-9513		CAM: Sig dwg SM-B-148791			1	0.8	0.4	5.0		53878
P1F	5815-395-9514		CAM: Sig dwg SM-B-148793			1	0.8	0.4	5.0		53881
P1F	5815-040-1521		FOLLOWER CAM: Sig dwg SM-B-148794			1	0.8	0.4	5.0		53882
P1F	5815-395-9515		LEVER: Sig dwg SM-B-148796			1	0.8	0.4	10.0		53884
P1F	5310-537-8632		WASHER,FLAT: Sig dwg SM-B-148797			2	0.8	0.4	20.0		53885
P1F	5305-297-3998		SCREW,MACHINE: Sig dwg SM-B-148801			3	1.9	1.1	30.0		53972
P1F	5815-309-3884		COLLAR,SHAFT: Sig dwg SM-B-157543			3	1.0	0.5	6.0		53973
P1F	5945-257-6365		ARMATURE,ELECTROMAGNETIC ACTUATOR: Sig dwg SM-C-157256			1	0.8	0.4	2.0		54092A
P1F	5815-340-3718		SHAFT: Sig dwg SM-C-187612			1	0.8	0.4	1.0		54563
P1F	5310-521-8552		KEY,MACHINE: SM-B-186915			5	1.3	0.7	25.0		54566

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-600-3005		COLLAR,CLAMP: Sig dwg SM-B-314726 (Authorized allowances based on a total of 4)			2	1.1	0.6	8.0		54926
P1F	5815-322-5580		COLLAR,DRIVE SHAFT: Sig dwg SM-B-186981-1			1	0.5	0.3	1.0		54927
P1F	5815-322-5581		COLLAR,DRIVE SHAFT: Sig dwg SM-B-171537 (Authorized allowances based on a total of 3)-			1	1.0	0.5	6.0		54928
P1F	5815-322-5582		CLUTCH,FRICTION: Sig dwg SM-B-186982			1	1.0	0.5	2.0		54929A
P1F	5815-340-3720		CLUTCH,FRICTION: Sig dwg SM-B-186882 (Authorized allowances based on a total of 3)			1	1.9	1.1	6.0		54931A
P1F	5815-663-3298		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-171532 (Authorized allowances based on a total of 2)			1	1.5	0.8	10.0		54932
P1F	5815-663-3297		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-171533			1	1.0	0.5	5.0		54933
P1F	5815-528-5517		WASHER,THRUST: Sig dwg SM-B-187020			5	1.3	0.7	50.0		55001
P1F	5815-600-3048		LEVER,UNIT: Sig dwg SM-B-187022			5	2.0	1.2	50.0		55004A
P1F	5815-322-5589		COLLAR,SPACING: Sig dwg SM-B-187023			1	0.5	0.3	2.0		55006
P1F	5815-322-5590		SLEEVE,CENTERING: Sig dwg SM-B-187024			1	0.5	0.3	1.0		55007
P1F	5815-600-2890		STUD,RECESSED AND STEPPED: Sig dwg SM-B-187025			1	0.5	0.3	1.0		55008
P1F	5815-834-5528		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-171539			5	2.6	1.6	50.0		55009
P1F	5815-330-9942		POST,ECCENTRIC: Sig dwg SC-B-69495			1	0.5	0.3	1.0		55024
P1F	5310-595-6161		SHIM: Sig dwg SM-B-171646			1	0.5	0.3	10.0		55076
P1F	5815-203-1531		GEAR,HELICAL: Sig dwg SC-B-187825			1	1.0	0.5	3.0		55166
P1F	5815-340-3722		GEAR,SPUR: Sig dwg SM-B-187075-1			1	1.0	0.5	3.0		55167
P1F	5815-340-3724		STUD,ECCENTRIC: Sig dwg SM-B-187080			1	0.5	0.3	2.0		55173

Army-Ft Monmouth,NJ-MOR

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5815-546-6799		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-187096			1	1.0	0.5	5.0		55518
P1F	5815-322-5602		SHAFT: Sig dwg SM-B-148790			1	0.5	0.3	1.0		55522
P1F	5815-591-0870		STUD,ECCENTRIC: Sig dwg SM-B-187165			3	1.0	0.5	6.0		55738
P1F	5815-340-3732		ECCENTRIC: Sig dwg SM-B-187361			1	0.5	0.3	2.0		56076
P1F	5815-663-3333		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-171535			2	1.5	0.8	10.0		56091
P1F	5815-342-6046		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SM-B-187411			1	0.8	0.4	5.0		56179
P1F	5815-219-7023		STUD: Sig dwg SC-B-70566			1	0.5	0.3	2.0		56185A
P1F	5815-523-8665		GEAR,SPUR: Sig dwg SM-B-187463			1	1.0	0.5	3.0		56274A
P1F	5815-663-3317		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-186874-8			1	1.0	0.5	5.0		56279
P1F	5815-547-7903		CAM: Sig dwg SC-C-70470			1	0.5	0.3	5.0		56618A
P1F	5815-575-3568		FELT,MECHANICAL,PREFORMED: Kleinschmidt part 61344A (Replaces 56765) (Authorized alllowances based on a total of 8)			2	8.3	3.6	80.0		56765
P1F	5815-558-3010		SHIM: Sig dwg SM-B-171480			2	0.8	0.4	20.0		57072
P1F	5815-586-0404		SHIM: Sig dwg SM-B-171620			2	0.8	0.4	20.0		57073
P1F	5815-791-6061		STOP,LEVER: Sig dwg SC-B-342394 (Formly Klienschmidt 50152)			2	1.1	0.6	20.0		61001
P1F	5330-784-7868		FELT,MECHANICAL,PREFORMED: Kleinschmidt (Replaces 56273)			1	2.0	1.2	10.0		61343A
			GROUP 7 CHASSIS ASSEMBLY								
P1F	5305-521-8637		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			2					10001
P1F	5305-531-9034		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			10					1003

Army-Ft Monmouth,NJ-M

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5305-274-0401		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			6					10008-01
P1F	5305-206-2476		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 6)			1					10010
P1F	5305-570-5987		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			5					10011
P1F	5305-567-2900		SCREW,CAP,SOCKETHEAD: MIL type MS-35459-19			4	2.0	1.2	40.0		10012
P1F	5305-297-7962		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			4					10025
P1F	5305-546-6876		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 6)			4					10052
P1F	5305-637-7943		SCREW,MACHINE: Kleinschmidt part 10080			2	1.5	0.8	20.0		10080
P1F	5305-333-4249		SETSCREW: MIL type MS-51019-39			1	1.0	1.5	10.0		10206
P1F	5305-576-5488		SETSCREW:(For authorized allowances see GROUP 6)			4					10208
P1F	5305-297-7905		SETSCREW: (For authorized allowances see GROUP 6)			2					10223
P1F	5305-558-6320		SETSCREW: MIL type MS-51019-43			2	1.5	0.8	20.0		10237
P1F	5305-333-5046		SCREW,MACHINE: Kleinschmidt part 10303			2	1.5	0.8	20.0		10303
P1F	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			10					10429
P1F	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 1)			16					10430
P1F	5310-186-7410		WASHER,FLAT: (For authorized allowances see GROUP 1)			1					10450
P1F	5340-282-0793		RING,RETAINING: (For authorized allowances see GROUP 6)			1					10451
P1F	5815-537-7636		RING,RETAINING: Waldes 5100-40-W			1	1.3	0.7	5.0		10453
P1F	5310-639-8165		WASHER,FLAT: (For authorized allowances see GROUP 4)			3					10458

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-616-3747		WASHER,FLAT: Kleinschmidt part 10459 (For authorized allowances see GROUP 6)			6					10459
P1F	5310-595-5385		WASHER,FLAT: (For authorized allowances see GROUP 4)			1					10467
P1F	5310-524-0236		WASHER,FLAT: Kleinschmidt part 10468			1	0.5	0.3	10.0		10468
P1F	5310-551-7541		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			5					10500
P1F	5310-576-5487		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 6)			1					10505
P1F	5310-521-8558		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 1)			3					10520
9 P1F	3120-662-2818		BEARING,SLEEVE: Amplex part A-548-1			1	1.0	0.5	5.0		10711
P1F	3110-155-9601		BEARING,BALL,ANNULAR: (For authorized allowances see GROUP 6)			2					10755
9 P1F	3110-144-8841		BEARING,BALL,ANNULAR: Fafnir part 36KDD-FS160			2	1.5	0.8	10.0		10759
P1F	5315-054-4094		PIN,TAPERED,PLAIN: Kleinschmidt 10850			1	0.5	0.3	2.0		10850
P1F	5315-243-1198		PIN,TAPERED,PLAIN: Kleinschmidt 10851			1	0.5	0.3	2.0		10851
P1F	5315-598-6077		PIN,TAPERED,PLAIN: Kleinschmidt 10852			2	0.8	0.4	4.0		10852
P1F	5315-298-0856		PIN,TAPERED,PLAIN: Kleinschmidt 10854			1	0.5	0.3	2.0		10854
P1F	5815-356-3228		BALL,POSITIONING: Kleinschmidt 10908			9	3.6	2.3	18.0		10908
P1F	5315-537-7638		PIN,STRAIGHT,HEADLESS: Kleinschmidt p/n 10917			2	0.8	0.4	4.0		10917
P1F	5340-282-0813		RING,RETAINING: (For authorized allowances see GROUP 1)			3					10949
P1F	5340-256-2867		RING,RETAINING: (For authorized allowances see GROUP 1)			4					10960
P1F	5815-356-3231		LEVER: Sig dwg SC-B-70336			1	0.8	0.4	10.0		50005A

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-356-3233		LEVER: Sig dwg SC-B-69394			1	0.8	0.4	10.0		50011
P1F	5815-351-7882		GEAR,SPUR: Kleinschmidt part 50121A			1	1.0	0.5	3.0		50121A
P1F	5815-378-5592		GEAR,CARRIAGE RETURN: Kleinschmidt part 50138a			1	1.0	0.5	3.0		50138A
P1F	5815-351-7886		SPRING,HELICA,EXTENSION: Sig dwg SC-B-69326-4			1	1.0	0.5	10.0		50196
P1F	5815-523-8656		DISK,CLUTCH: (For authorized allowances see GROUP 6)			1					50200
P1F	5815-356-3281		GEAR,RATCHET: Sig dwg SC-B-69365			1	1.0	0.5	3.0		50201
P1F	5815-356-3284		DISK,CLUTCH: Sig dwg SC-B-69373			1	1.0	0.5	2.0		50211
P1F	5815-598-4961		SPRING,HELICAL,EXTENTION: Sig dwg SC-B-69337-1			1	1.0	1.5	10.0		50231
P1F	5815-598-4962		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-2			1	1.0	0.5	10.0		50232
P1F	5815-356-3294		CLAPPER,ELECTRIC BELL: Sig dwg SM-B-148744			1	0.5	0.3	1.0		50244A
P1F	5815-203-1450		GEAR,SPUR: Sig dwg SC-B-69329			1	1.0	0.5	3.0		50257
P1F	5330-351-7892		FELT,MECHANICAL,PREFORMED: Sig dwg SC-B-69332			2	3.0	2.0	20.0		50260
P1F	5310-521-8741		WASHER,FLAT: Sig dwg SC-B-69325-2			1	0.5	0.3	10.0		50306
P1F	5815-356-3309		CLUTCH,HALF POSITIVE: Sig dwg SC-B-69323			1	1.0	0.5	2.0		50331
P1F	5815-678-0722		COLLAR,SHAFT: Sig dwg SC-B-69366			1	0.5	0.3	2.0		50336
P1F	5815-356-3310		CAM: Sig dwg SM-B-148339			1	0.8	0.4	5.0		50364A
P1F	5310-523-2143		WASHER,FLAT: (For authorized allowances see GROUP 3)			1					50414
P1F	5815-356-3347		SHAFT: Sig dwg SC-C-69367			1	0.5	0.3	1.0		50525
P1F	5310-521-8731		WASHER,THRUST: Sig dwg SC-B-69526			1	0.5	0.3	10.0		50827
P1F	5815-356-3451		LINK,SPACEBAR: Sig dwg SC-B-69348			1	0.5	0.3	2.0		50864

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-351-7958		GEAR,SPUR: Sig dwg SC-B-69352			1	1.0	0.5	3.0		50884A
P1F	5310-521-8730		WASHER,FLAT: Sig dwg SC-B-69325			1	0.5	0.3	10.0		50887
P1F	5815-237-5896		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326			1	1.0	0.5	10.0		50911
P1F	5340-351-7968		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-2			1	1.0	0.5	10.0		50912
P1F	5815-598-4987		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-18			1	1.0	0.5	10.0		50946
P1F	5310-221-4917		NUT,PLAIN,HEXAGON: Sig dwg SC-B-69368			1	1.0	0.5	10.0		51079
P1F	5815-351-7998		DISK,DRIVING: (For authorized allowances see GROUP 6)			2					51117
P1F	5310-209-0098		WASHER,FLAT: Sig dwg SC-B-69322-9			1	0.5	0.3	10.0		51408
P1F	5815-356-3525		CLUTCH,SUB-ASSEMBLY: Kleinschmidt p/n 51643A			1	0.5	0.3	5.0		51643A
P1F	5815-547-7873		RING,RETAINING: Sig dwg SC-B-70344			1	1.3	0.7	5.0		51651
P1F	5815-392-9526		CLUTCH,FRICTION: Sig dwg SC-B-70343			1	1.0	0.5	3.0		51678
P1F	5815-392-9528		WASHER,FLAT: Sig dwg SM-B-186877-1			1	0.5	0.3	10.0		51681
P1F	5815-569-0330		NUT,PLAIN,ROUND: Sig dwg SC-B-70303			1	1.0	0.5	10.0		51697
P1F	5310-395-9639		NUT,ANCHOR: Sig dwg SM-B-157024 (Authorized allowances based on a total of 4)			1	2.0	1.2	40.0		52073
P1F	5310-537-8633		WASHER,FLAT: Sig dwg SM-B-171456-1			1	0.5	0.3	10.0		52117
P1F	5815-201-1624		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148310-2			1	1.0	0.5	5.0		52259
P1F	5815-392-7759		STUD: Sig dwg SM-B-148434			1	0.5	0.3	2.0		53218
P1F	5815-537-7667		LEVER: Sig dwg SM-B-148490			1	0.8	0.4	5.0		52791A
P1F	5815-392-7902		LINK,CONNECTING: Sig dwg SM-B-148637			1	0.5	0.3	2.0		53161A
P1F	5310-595-6712		WASHER,FLAT: Sig dwg SC-B-69389-10			1	0.5	0.3	10.0		53783

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5815-322-5577		PAWL: Sig dwg SM-B-186911			1	0.5	0.3	2.0		54490A
P1F	5815-600-3005		COLLAR,CLAMP: (For authorized allowances see group 6)			2					54926
P1F	5815-322-5581		COLLAR,DRIVE SHAFT: (For authorized allowances see GROUP 6)			2					54928
P1F	5815-322-5583		WORM WHEEL GEAR: Sig dwg SM-B-186983			1	1.0	0.5	3.0		54930A
P1F	5815-340-3720		CLUTCH,FRICTION:(For authorized allowances see GROUP 6)			2					54931A
P1F	5815-663-3298		SPRING,HELICAL,COMPRESSION: (For authorized allowances see GROUP 6)			1					54932
P1F	5815-663-3296		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-171534			1	1.0	0.5	5.0		54934
P1F	5815-663-3323		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-18[illegible]591			1	1.0	0.5	5.0		55043
P1F	5815-594-0001		LEVER: Sig dwg SM-B-148773			1	0.8	0.4	10.0		55090A
P1F	5815-203-1533		GEAR,HELICAL: Sig dwg SM-B-187072			1	1.0	0.5	3.0		55163
P1F	5815-203-1532		GEAR,HELICAL: Sig dwg SM-B-187073			1	1.0	0.5	3.0		55164
P1F	5815-537-7694		SHAFT: Sig dwg SM-B-187078			1	0.5	0.3	1.0		55171
P1F	5815-340-3723		SHAFT: Sig dwg SM-B-187079			1	0.5	0.3	1.0		55172
P1F	5815-591-0872		LEVER: Sig dwg SM-B-187442			1	0.8	0.4	10.0		56241A
P1F	5815-340-3735		LEVER: Sig dwg SM-B-187444			1	0.8	0.4	10.0		56243A
P1F	5310-558-6033		WASHER,FLAT: Sig dwg SM-B-187831			1	0.5	0.3	10.0		56254
P1F	5815-534-3034		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-171541			1	1.0	0.5	10.0		56258
P1F	5815-523-8644		SPRING,HELICAL,TORSION: Sig dwg SM-B-18[illegible]4			1	1.0	0.5	1.0		56269
P1F	5815-575-3568		FELT,MECHANICAL,PREFORMED: (For authorized allowances see GROUP 6)								56765
P1F	5815-547-7906		SHAFT: Kleinschmidt part 56829			1	0.5	0.3	1.0		56829

Army-Ft Monmouth, NJ

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
			GROUP 8 BASE ASSEMBLY								
P1F	5910-666-8278		CAPACITOR,FIXED,PAPER DIELECTRIC: MIL type CP08A1KF104K			1	1.0	0.5	10.0		C2
P1F	5910-649-3118		CAPACITOR,FIXED,ELECTROLYTIC: Kleinschmidt p/n 20213			2	3.1	2.0	20.0		C5,C6
P1F	5915-521-6775		CAPACITOR-RESISTOR: Part dwg SM-B-148666			1	1.0	0.5	10.0		C9A,C9B
P1F	6130-523-5816		RECTIFIER,METALLIC: Sig dwg SM-B-1869C8			1	1.0	0.5	10.0		CR1
P1F	5945-521-0536		RELAY,ASSEMBLY: Kleinschmidt 20302			1	1.0	0.5	10.0		E1
P1F	5945-049-7857		RELAY-SWITCH: Kleinschmidt 20114			1	1.0	0.5	10.0		E3
P1O	5920-295-9074		FUSE,CARTRIDGE: Littelfuse 313002			1	13.7	11.1	75.0		F1
P1O	5920-142-4837		FUSE,CARTRIDGE: MIL type F02GR062A			1	13.7	11.1	75.0		F4
P1F	5935-524-5541		CONNECTOR,RECEPTACLE,ELECTRICAL: Amphenol part 126-198			3	1.9	1.1	30.0		J2,5,8
P1F	5935-149-3230		CONNECTOR,RECEPTACLE,ELECTRICL: MIL-C-5015, part AN3102A14S-25			1	1.0	0.5	10.0		J3
P1F	5815-301-4610		CONTACT,ASSEMBLY,ELECTRICAL: Sig dwg SM-B-148697			1	1.0	0.5	10.0		J4A
P1F	5815-537-7677		CONTACT ASSEMBLY,ELECTRICAL: Sig dwg SM-B-148699			1	1.0	0.5	10.0		J4B
P1F	5935-521-0537		CONNECTOR,RECEPTACLE,ELECTRICAL: Sig dwg SM-B-148662			1	1.0	0.5	10.0		J6
P1F	5935-259-6808		CONNECTOR,RECEPTACLE,ELECTRICAL: Amphenol p/n 26-190-16			1	1.0	0.5	10.0		J7
P1F	5935-283-3825		JACK,TIP: Johnson part 105-603-1			2	1.5	0.8	4.0		J9,J10
P1F	5935-636-7145		CONNECTOR,PLUG,ELECTRICAL: MIL type UP-121/M			1	1.0	0.5	10.0		P1
P1F	5935-201-8476		CONNECTOR,PLUG,ELECTRICAL: Amphenol p/n 26-159-16			1	1.0	0.5	10.0		P7

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5905-508-0563		RESISTOR,FIXED,WIREWOUND: MIL type RW30G562			1	1.0	0.5	10.0		R2
P1F	5905-283-7507		RESISTOR,FIXED,WIREWOUND: MIL type RW30G102			1	1.0	0.5	10.0		R3
P1F	5905-549-7222		RESISTOR,FIXED,WIREWOUND: MIL type RW20V202			1	1.0	0.5	10.0		R6
P1F	5905-508-0819		RESISTOR,FIXED,WIREWOUND: MIL type RW30G802			1	1.0	0.5	10.0		R7
P1F	5905-192-0635		RESISTOR,FIXED,COMPOSITION: MIL type RC30GF153K			1	1.0	0.5	10.0		R9
P1F	5905-108-6308		RESISTOR,VARIABLE: MIL type RP101SA502KK			1	1.0	0.5	10.0		R10
P1F	5930-752-2672		SWITCH,TOGGLE: MIL type MS35059-23			2	1.5	0.8	20.0		S2,S11
P1F	5930-050-2681		SWITCH,TOGGLE: MIL type MS-35058-10			1	1.0	0.5	10.0		S3
P1F	5930-050-2704		SWITCH,TOGGLE: MIL type MS-35059-9			1	1.0	0.5	10.0		S4
P1F	5930-655-1514		SWITCH,TOGGLE: MIL type MS-35058-22			2	1.5	0.8	20.0		S5,S6
P1F	5930-507-8228		SWITCH,ROTARY: Kleinschmidt p/n 20130			1	1.0	0.5	10.0		S7
P1F	5920-556-0144		FUSEHOLDER: MIL type FHN20G			2	1.5	0.8	20.0		XF1,2
P1F	5940-549-1030		TERMINAL,BOARD: Kleinschmidt 20370A			1	0.5	0.3	10.0		TB1
P1F	5305-521-8637		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			2					10001
P1F	5305-274-0401		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 1)			37					10008-01
P1F	5305-206-2476		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 6)			7					10010
P1F	5305-274-0399		SCREW,CAP,SOCKETHEAD: MIL type MS-35461-3			1	1.0	0.5	10.0		10010-01
P1F	5305-297-9171		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10013			2	1.5	0.8	20.0		10013
P1F	5305-297-7962		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			2					10025

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5305-545-8374		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 6)			4					10032
P1F	5305-550-2512		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10032-01			2	1.5	0.8	20.0		10032-01
P1F	5305-545-8342		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10042-01			4	2.0	1.2	40.0		10042-01
P1F	5305-579-1518		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			2					10050
P1F	5305-698-5294		SCREW,MACHINE: Kleinschmidt p/n 10179			9	3.6	2.3	90.0		10179
P1F	5305-206-6057		SCREW,MACHINE: Kleinschmidt 10252			2	1.5	0.8	20.0		10252
P1F	5305-558-3154		SCREW,MACHINE: Kleinschmidt 10255			2	1.5	0.8	20.0		10255
P1F	5305-521-8638		SCREW,MACHINE: (For authorized allowances see GROUP 3)			2					10304
P1F	5305-208-7907		SCREW,MACHINE: (For authorized allowances see GROUP 1)			8					10308
P1F	5305-292-8400		SCREW,MACHINE: Kleinschmidt 10354			3	1.9	1.1	30.0		10354
P1F	5305-207-7484		SCREW,MACHINE: (For authorized allowances see GROUP 1)			2					10357
P1F	5305-208-6168		SCREW,MACHINE: Kleinschmidt 10367			4	2.0	1.2	40.0		10367
P1F	5305-297-7798		SCREW,MACHINE: (For authorized allowances see GROUP 1)			2					10375
P1F	5305-207-5582		SCREW,MACHINE: Kleinschmidt 10393			12	4.8	3.0	120.0		10393
P1F	5310-282-9068		WASHER,LOCK: (For authorized allowances see GROUP 3)			2					10400
P1F	5310-282-9587		WASHER,LOCK: Shakeproof p/n 1705-00			2	1.5	0.8	20.0		10402
P1F	5310-209-3990		WASHER,LOCK: (For authorized allowances see GROUP 3)			10					10403

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-543-2739		WASHER,LOCK: (For authorized allowances see GROUP 1)			30					10404
P1F	5310-282-9584		WASHER,LOCK: (For authorized allowances see GROUP 1)			8					10405
P1F	5310-261-6197		WASHER,LOCK: (for authorized allowances see GROUP 6)			4					10406
P1F	5310-550-3715		WASHER,LOCK: MIL type MS-35333-70			2	1.5	0.8	20.0		10408
P1F	5310-180-0277		WASHER,LOCK: (For authorized allowances see GROUP 6)			2					10419
P1F	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			18					10429
P1F	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 1)			49					10430
P1F	5310-186-7410		WASHER,FLAT: (For authorized allowances see GROUP 1)			4					10450
P1F	5310-429-2274		WASHER,FLAT: (For authorized allowances see GROUP 1)			8					10463
P1F	5310-595-5385		WASHER,FLAT: (For authorized allowances see GROUP 4)			8					10467
P1F	5310-530-9370		WASHER,FLAT: Kleinschmidt p/n 10477			2	0.8	0.4	20.0		10477
P1F	5310-261-7155		WASHER,LOCK: Shakeproof p/n 1724-02			2	0.8	0.4	20.0		10478
P1F	5310-523-2035		NUT,SELF-LOCKING,HEXAGONAL: (For authorized allowances see GROUP 1)			8					10501
P1F	5310-546-6858		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 3)			7					10507
P1F	5310-514-8471		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 1)			7					10515
P1F	5310-514-7634		NUT,PLAIN,CAP: Kleinschmidt part 10519			1	1.0	0.5	10.0		10519
P1F	5310-208-6742		NUT,PLAIN,HEXAGONAL: (For authorized allowances see GROUP 6)			2					10529
P1F	5310-264-6799		NUT,SELF-LOCKING,HEXAGONAL: ESNA part F22NTE-048			4	3.1	2.0	40.0		10534

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5310-510-4772		NUT,SELF-LOCKING,HEXAGONAL: ESNA part F92-1660-40			8	5.0	2.0	80.0		10551
P1F	5340-355-9765		MOUNT,VIBRATION: Lord part 150PLN-20			4	1.1	0.6	4.0		10911
P1F	5305-584-7953		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 11502			4	2.0	1.2	40.0		11502
P1F	5940-688-2382		TERMINAL STUD: Hugh part 722299-84			1	0.5	0.3	1.0		20357
P1O	5920-283-7178		CAP,ELECTRICAL: Littelfuse 342003-SA2			2	1.5	0.8	20.0		20460
5 P1F	6145-643-0028		CABLE,POWER,ELECTRICAL: MIL-C-3432, type CO-02MGF(2/18)SJ0375 (Authorized allowances will be a minimum of or a multiple of 8 ft)	ft		8	*	*	120.0		20640-01
P1F	5355-160-6096		KNOB: Sig dwg SC-B-105817			1	1.0	0.5	5.0		20704
P1F	5940-199-9606		TERMINAL LUG: Kleinschmidt part 20705			4	2.0	1.2	40.0		20705
P1F	5940-231-4430		TERMINAL LUG: AMP part 7-32562			20	6.7	2.8	200.0		20706
P1F	5940-231-4428		TERMINAL LUG: (For authorized allowances see GROUP 1)			1					20708
P1F	5940-231-4431		TERMINAL LUG: AMP part C-36			1	1.0	0.5	10.0		20710
P1F	5940-271-7322		TERMINAL LUG: AMP part 321021			4	2.0	1.2	40.0		20838
P1F	5940-537-6591		POST,BINDING: EBY p/n 7770			5	1.3	0.7	5.0		20877
P1F	5310-521-8729		WASHER,FLAT: (For authorized allowances see GROUP 4)			2					50315
P1F	5310-521-8734		WASHER,FLAT: Sig dwg SC-B-69322-5			4	1.1	0.6	40.0		50494
P1F	5310-521-8723		WASHER,FLAT: (For authorized allowances see GROUP 6)			7					50515
P1F	5310-638-5177		WASHER,FLAT: Sig dwg SC-B-70179			4	1.1	0.6	40.0		50862
P1F	5330-240-0354		WASHER,NON-METALLIC: Sig dwg SC-B-69821			7	4.8	3.0	70.0		50909

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			AN/FGC-21 (continued)								
P1F	5330-049-7872		WASHER,NON-METALLIC: (For authorized allowances see GROUP 1)			2					51481
P1F	5310-395-9639		NUT,ANCHOR: (For authorized allowances see GROUP 7)			3					52073
P1F	5815-692-6837		SPACER,SLEEVE: Sig dwg SM-B-157014-1			1	0.5	0.3	2.0		53157
P1F	5815-395-9454		SHIM: Kleinschmidt p/n 52284			2	0.8	0.4	20.0		52284
P1F	5330-641-3375		WASHER,NON-METALLIC: Kleinschmidt part 54561			4	3.1	2.0	40.0		54561
P1F	5340-324-8857		KNOB: Sig dwg SM-B-187029			2	0.8	0.4	10.0		55013
P1F	5815-527-1192		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-171540			2	1.5	0.8	20.0		55014
P1F	5940-346-1716		POST,BINDING: Sig dwg SM-B-148359			2	0.8	0.4	2.0		56197A
P1F	5815-547-7904		KNOB: Kleinschmidt p/n 56699			2	0.8	0.4	10.0		56699
P1F	5815-346-2888		STUD: Sig dwg SM-B-171408			2	0.8	0.4	4.0		56711A
			GROUP 9 POWER SUPPLY PP-978/FG								
P1F	5910-543-9468		CAPACITOR,FIXED,ELECTROLYTIC: MIL type CE41C301J			2	3.1	2.0	20.0		C7,C8
P1F	6130-889-1164		SEMICONDUCTOR,DEVICE,DIODE: Canell-Lovittpart 1-62978-7			1	1.3	0.7	10.0		CR2
P10	5920-043-2641		FUSE,CARTRIDGE: MIL type F02GR250A			1	13.7	11.1	75.0		F2
P1F	5905-100-6266		RESISTOR,FIXED,WIREWOUND: MIL type RW33G502			1	1.0	0.5	10.0		R5
P1F	5950-545-7700		TRANSFORMER POWER,STEP-DOWN AND STEP-UP: Sig dwg SM-C-148765			1	1.0	0.5	5.0		T1
P1F	5920-847-0856		FUSEHOLDER: Littelfuse part 342004			1	1.0	0.5	10.0		XF2
P10	5920-823-3246		CAP,ELECTRICAL: Littelfuse 342004-SA2			1	1.3	0.7	10.0		XF2 CAP
P1F	5305-531-9034		SCREW,CAP,SOCKETHEAD: Kleinschmidt part 10003			4	2.0	1.2	40.0		10003

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5305-655-9483		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-3			4	2.0	1.2	40.0		10005
P1F	5305-533-5362		SCREW,CAP,SOCKETHEAD: MIL type MS-35460-10			2	1.5	0.8	20.0		10015
P1F	5305-537-8241		SCREW,MACHINE: Kleinschmidt part 10111			4	2.0	1.2	40.0		10111
P1F	5305-576-6445		SCREW,TAPPING THREAD FORMING: Kleinschmidt p/n 10337			2	1.5	0.8	20.0		10337
P1F	5305-297-7670		SCREW,MACHINE: Kleiscmidt p/n 10361			1	1.0	0.5	10.0		10361
P1F	5310-282-9584		WASHER,LOCK: MIL type MS-35333-73			4	2.0	1.2	40.0		10405
P1F	5310-013-1196		WASHER,LOCK: MIL type MS-35337-60			4	2.0	1.2	40.0		10429
P1F	5310-551-7541		NUT,SELF-LOCKING,HEXAGONAL: ESNA part F22-NTM-60			4	2.0	1.2	40.0		10500
P1F	5310-523-2035		NUT,SELF-LOCKING,HEXAGONAL: ESNA part F22-NTM-82			3	1.9	1.1	30.0		10501
P1F	5310-523-2029		NUT,SELF-LOCKING,HEXAGONAL: ESNA Part F22-NTM-02			2	1.5	0.8	20.0		10525
P1F	5310-639-8214		NUT,SHEET SPRING: Kleinschmidt p/n 10543			4	2.0	1.2	40.0		10543
P1F	5995-301-4448		CONNECTOR,PLUG,ELECTRICAL: Sig dwg SM-B-148798-1			1	1.0	0.5	10.0		53897
P1F	5995-096-7076		CONNECTOR,PLUG,ELECTRICAL: Sig dwg SM-B-148798-2			1	1.0	0.5	10.0		53898
P1F	5995-096-7077		CONNECTOR,PLUG,ELECTRICAL: Sig dwg SM-B-148798-3			1	1.0	0.5	10.0		53899
			GROUP 10 TABLE, TELETYPEWRITER FN-59/FG								
P1F	5305-298-8568		SCREW,MACHINE: Kleinschmidt part 10310			4	2.0	1.2	40.0		10310
P1F	5305-208-7262		SCREW,MACHINE: Kleinschmidt part 10314			8	3.6	2.3	80.0		10314

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			AN/FGC-21 (continued)								
P1F	5310-013-1196		WASHER,LOCK: MIL type MS-35337-60			4	2.0	1.2	40.0		10429
P1F	5310-209-3871		WASHER,LOCK: MIL type MS-35339-61			4	2.0	1.2	40.0		10430
P1F	5310-198-3711		WASHER,LOCK: MIL type MS-35339-62			8	3.6	2.3	80.0		10431
P1F	5310-429-2274		WASHER,FLAT: Kleinschmidt part 10463			4	1.1	0.6	40.0		10463
P1F	5310-576-5487		NUT,PLAIN,HEXAGONAL: Kleinschmidt part 10505			4	2.0	1.2	40.0		10505
P1F	5310-297-8940		NUT,PLAIN,HEXAGONAL: Kleinschmidt part 10512			4	2.0	1.2	40.0		10512
P1F	5310-561-0971		NUT,SHEET SPRING: Tinnerman CAT C-917-102-1			25	7.8	3.4	250.0		10530
P1F	5340-282-0813		RING,RETAINING: Waldes CAT 5133-18-S-PP			2	2.0	1.2	20.0		10949
P1F	5815-561-0968		FOOT,MOUNTING: Kleinschmidt part 10973			2	0.8	0.4	10.0		10973
P1F	5340-205-4731		RING,RETAINING: Waldes CAT 5133-9-S-MD			2	2.0	1.2	20.0		10981
P1F	5815-201-1624		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148310-2			2	1.5	0.8	10.0		52259
P1F	5815-566-7074		FOOT,MOUNTING: Sig dwg SM-B-171444			2	0.8	0.4	10.0		55538
P1F	5815-663-3349		SPRING,HELICAL,TORSION: Sig dwg SM-B-187108			1	1.0	0.5	5.0		55551

Army-Ft Monmouth,NJ-MO

By Order of Secretary of the Army:

EARLE G. WHEELER,
General, United States Army,
Chief of Staff.

Official:
J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
CSigO (7)
CofT (1)
CofEngrs (1)
CofSpts (1)
TSG (1)
USAADBD (2)
USAAESWBD (2)
USAMC (5)
USCONARC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3)
Base Comd (2)
LOGCOMD (2)
USAMICOM (4)
USAECOM (7)
USA Avn & Sur Mat Comd (1)
USASCC (4)
USASMCOM (1)
MDW (1)
Armies (2)
Corps (2)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC Inf (2)
Svc Colleges (2)
Br Svc Sch (2)
USASTC (2)
WRAMC (1)
BAMC (2)
Instl (2) except
  Ft Monmouth (63)
  Ft Hancock (4)
  Ft Gordon (5)
GENDEP (OS) (2)
Sig Sec, GENDEP (5)
Sig Dep (OS) (12)
A Dep (2) except
  Tobyhanna, Lexington (12)
  Sacramento (28)
  Ft Worth (8)
  Letterkenny (5)
USACECDA (1)
USACECDA (Ft Monmouth) (1)
USA Elct Mat Agcy (9)
USAOSA (1)
Army Pic Cen (2)
USA Mbl Spt Cen (1)
USAPRDC (2)
USACDEC (2)
AMS (1)
US Army Tml (1)
POE (1)
Sig Fld Maint Shops (3)
Chicago Proc Dist (1)
Yuma PG (2)
USAERDA Ft Huachuca (10)
USAERDA White Sands (13)
USAERDL Trp Comd (10)
USASA Fld Sta (5)
Sig Rsch Unit Det (2)
USA Corps (3)
JUSMMAT (2)
Units org under fol TOE:
  (2 copies UNOINDC)
  11-5
  11-6
  11-16
  11-57
  11-97
  11-98
  11-117
  11-155
  11-157
  11-337
  11-500 (AA-AE) (4)
  11-557
  11-587
  11-592
  11-597
  32-57
  33-56
  33-500
  33-505
  55-158

NG: None.
USAR: None.
For explanation of abbreviations used, see AR 320-50.